

LIST OF
BRITISH SEED-PLANTS
AND FERNS.

EXHIBITED IN THE
DEPARTMENT OF BOTANY,
BRITISH MUSEUM (NATURAL HISTORY)



LONDON
PRINTED BY ORDER OF THE TRUSTEES
OF THE BRITISH MUSEUM.

1907

(All rights reserved)

LONDON

PRINTED BY WILLIAM CLOWES AND SONS, LIMITED,
DUKE STREET, STAMFORD STREET, E. AND GREAT WINDMILL STREET, W.

PREFACE

THE following List of British Seed-plants and Ferns has been compiled by Mr. Britten and myself in accordance with the International Rules of Botanical Nomenclature adopted by the Botanical Congress at Vienna, 1905. These Rules insist on the adoption of the earliest specific name of a plant, no matter under what genus it was first described. This has resulted in a few alterations, as British botanists have generally used the specific name first employed in the genus accepted. These alterations have been made only after careful investigation of the literature of the subject. *Comb. nov.* is affixed to new combinations. A detailed account of the alterations will be found in the *Journal of Botany* for March, 1907.

Throughout the List reference is made to the original description of each species. This has necessitated an extensive consultation of botanical literature, which would only be possible in a library such as that possessed by the Department of Botany, a few alterations in spelling (e.g., *Piesdalia*) and some corrected citations have resulted from this investigation.

Names of plants date from the first edition of Linnaeus's *Species Plantarum* (1753). Adherence to priority is observed, except for certain genera specially provided for by the Rules.

The arrangement of Orders is that of Bentham's *Handbook*, which is followed in the Public Gallery, for the limitation of genera and species we have followed Messrs. Groves's edition of Babington's *Manual*, as being the most recent descriptive British Flora, we have not included varieties. We have adopted the nomenclature of the latter work except where this is not in accordance with the Rules. The genera are numbered consecutively throughout.

For the convenience of botanists we have correlated the names adopted in the three principal handbooks of the British Flora. These are indicated by numbers as follows:

- i. Bentham's *Handbook*, ed. 6, 1892,
- ii. Hooker's *Student's Flora*, ed. 3, 1884.
- iii. Babington's *Manual*, ed. 9, 1904, in cases where the

name is not that adopted in the List.

The List has been shortened by the exclusion of (1) Channel Island plants, which have no claim to be considered as belonging to the British Flora, (2) critical forms of *Rubus*, *Hieracium*, *Euphrasia*, and *Salix*, for which reference must be made to monographs, (3) introduced plants which have not become thoroughly established, (4) plants formerly found in Britain but now extinct.

The names of plants which, although introduced, appear to be naturalized, are printed in italics.

At the end of the List will be found an arrangement of the Natural Orders in conformity with recent views of affinity, this is correlated with the sequence adopted in the List.

A. B. RENDLE.

BRITISH MUSEUM (NATURAL HISTORY)

January, 1907

CORRIGENDA

- 21 **Glaucium** For "Mull" read Hill
- 50 **Coronopus** For "L" read Gaertn
- 91 For "**MILLEGRANA**" etc, read **RADIOLA** Hill
linoides Roth Tent Fl Germ i
71 (1788)
i *Millegrana* Sm
- 101 **Medicago minima**. For "L" &c,
read Willd Sp. Pl iii 1418
(1800)
- 223 **Cotula**. Add I
- 240 **Thrinacia**. Add Roth
- 235 **Picris** Add L
- 262 **Primula**. For "**acaulis** L" &c,
read **vulgaris** Hudson Fl. Angl
70 (1762)
I under *veris*
III *acaulis* L
- 267 **Anagallis tenella**. For "L"
read Lightfoot Fl Scot
(1777)
- 276 **Centaureon**. For "Gilib"
Adans., for "**minus**" &c,
umbellatum Gilibert Fl Li
i 35 (1781)
- 279 **Nymphoides** For "Medic"
Hill
- 405 **Ophrys** For "**arachnites**"
read **fuciflora** H G Reic
lc Fl Germ xiii 85, t
(1851)
I II under *apifera*,
III *arachnites* Lam ;
for "**arapifera**" &c
sphegodes Miller Dict ed. 1
(1768).
I II III *arapifera* Huds
- 414 **Corallorrhiza**. For "Hall"
Scop.
- 491 **Poa palustris** should be in II

By an unfortunate inadvertence Nos 235-242 have been repeated,
they should be distinguished by asterisks.

I OF BRITISH SEED-PLANTS AND FERNS

III RANUNCULACEÆ

HEMATIS L.

vitalba L. Sp. Pl. 544 (1753)

HEALICTRUM L.

alpinum L. Sp. Pl. 545 (1753)

acris L. Sp. Pl. 546 (1753)

majus Crantz Stirp. Austr. fasc. ii. 80 (1763).

II II under *minus*

flavum L. Sp. Pl. 546 (1753)

NEMONE L.

Pulsatilla L. Sp. Pl. 539 (1753)

nemorosa L. Sp. Pl. 541 (1753)

ANEMONIS L.

patens L. Sp. Pl. 547 (1753). Mill Dict. ed. 8 n. 1 (1768)

II II III *autumnalis* L.

ANYSURUS L.

minimus L. Sp. Pl. 284 (1753)

RANUNCULUS L.

I Nos. 1-8, 10 12, under *aquatilis* L.

1 *trichophyllus* Chaix in Villars Hist. Pl. Dauph. i. 335 (1786)

2 *Drouetii* F. Schultz in Archiv. Fl. France & Allem. i. 10, 31 (1842)

3 *heterophyllus* Weber in Wiggers Prim. Fl. Holsat. 42 (1780)

4 *confusus* Godron in Grenier & Godron Fl. France i. 22 (1847)

II under *marinus* Fr.

5 *Bandotii* Godron in Mém. Soc. Roy. Nancy, 1839, 21 (1840)

II under *marinus* Fr.

6 *floribundus* Babington in Ann. Mag. Nat. Hist. xvi. 397 (1855).

II under *heterophyllus*.

7 *penicillatus* Babington Manual, ed. 7, 7 (1874)

II under *heterophyllus*.

8 *peltatus* Schrank Baiersche Fl. ii. 103 (1789).

II under *heterophyllus*

9 *tripartitus* DC. Ic. Pl. Gall. 15 (1808)

I under *hederaceus*

10 *lutarius* Bouvet in Bull. Soc. Scient. Angers, 1873, 96 (1874).

11 *divaricatus* Schrank Baiersche Flora, ii. 104 (1789).

II III *circinatus* Sibth.

12 *fluitans* Lamarek Fl. France, iii. 184 (1778).

13 *Lenormandi* F. Schultz in Flora, xv. 726 (1837).

I under *hederaceus*

14 *hederaceus* L. Sp. Pl. 556 (1753)

15 *sceleratus* L. Sp. Pl. 551 (1753).

16 *scoticus* Marshall in Journ. Bot. xxxvi. 103 (1898).

17 *Flammula* L. Sp. Pl. 548 (1753)

18 *reptans* L. Sp. Pl. 549 (1753)

I II under *Flammula*.

19 *ophioglossifolius* Villars Hist. Pl. Dauph. ii. 731 (1789).

20 *Lingua* L. Sp. Pl. 549 (1753).

21 *Ficaria* L. Sp. Pl. 550 (1753).

22 *auricomus* L. Sp. Pl. 551 (1753)

23 *acris* L. Sp. Pl. 554 (1753)

24 *repens* L. Sp. Pl. 554 (1753).

25 *bulbosus* L. Sp. Pl. 554 (1753).

26 *sardous* Crantz Stirp. Austr. fasc. ii. 84 (1763).

I II *hirsutus* Curtis

27 *parviflorus* L. Syst. Nat. ed. 10, ii. 1087 (1759).

28 *arvensis* L. Sp. Pl. 555 (1753).

THA L.

--- L. Sp. Pl. 558 (1753).

--- T. F. Forster in Trans.
Linn. Soc. viii. 324 (1807).

LIUS L.

--- L. Sp. Pl. 556 (1753).

ANTHIS Salisb.

--- Salisbury in Trans. Linn.
Soc. viii. 304 (1807)

III *Cammarum hyemale* Greene

ELLEBORUS L.

--- L. Sp. Pl. 558 (1753)

--- L. Sp. Pl. 558 (1753)

JILEGIA L.

--- L. Sp. Pl. 533 (1753)

LPHINIUM L.

--- L. Sp. Pl. 531 (1753)

ONITUM L.

--- L. Sp. Pl. 532 (1753)

TAEA L.

--- L. Sp. Pl. 504 (1753).

RONIA L.

--- Retzius Obs. iii. 34 (1783)
I *officinalis* L.

II BERBERIDACEÆ

BERBERIS L.

--- L. Sp. Pl. 530 (1753)

III. NYMPHÆACEÆ

STALIA Salisb

--- Greene in Bull. Tori Bot
Club, xv. 85 (1888)

I II *Nymphæa alba* L

NYMPHÆA L.

L. Sp. Pl. 510 (1753)

I II *Nuphar luteum* Sm

--- G. F. Hoffmann Deutschl
Flora, ed. 2, i. 1, 241 (1800)

I under *Nuphar luteum*,

II *Nuphar pumilum* Sm

IV. PAPAVERACEÆ

L. Sp. Pl. 506 (1753).

--- L. Sp. Pl. 506 (1753).

dubium L. Sp. Pl. 1196 (1753).

Lecoqii Lamotte in Ann. Sci. Lit.
Auvergne, xxiv. 429 (1851).

I II under *dubium*.

somniferum L. Sp. Pl. 508 (1753).

20 MECONOPSIS Vig.

cambrica Viguier Hist. Pavots, 488
(1814).

21 GLAUCIUM Mill.

flavum Crantz Stirp. Austr. fasc.
ii. 133 (1763).

I II *luteum* Scop

22 CHELIDONIUM L.

majus L. Sp. Pl. 505 (1753).

V FUMARIACEÆ

23 CORYDALIS DC.

lutea DC. Fl. France, iv. 638
(1805).

III *Capnoides lutea* Gaertn

claviculata DC. Fl. France, iv.
638 (1805)

III *Capnoides claviculata* Druce

24 FUMARIA L.

I all the species under *officinalis*

capreolata L. Sp. Pl. 701 (1753).

purpurea Pugsley in Journ. Bot. xl.
179 (1902).

occidentalis Pugsley in Journ. Bot.
xlii. 218 (1904).

Bastardi Boreau in Duchartre
Rev. Bot. ii. 359 (1846-7)

II under *capreolata*,

III *confusa* Jord

muralis Sonder ex Koch Syn Fl
Germ. ed. 2, 1017 (1845).

II under *capreolata*.

officinalis L. Sp. Pl. 700 (1753).

densiflora DC. Cat. Hort. Monsp.
113 (1813).

parviflora Lamarck Encyclop. ii.
567 (1788).

Vaillantii Loiseleur in Desvaux
Journ. de Bot. ii. 370 (1800).

II under *parviflora*.

VI CRUCIFERÆ

25 MATTHIOLA Br.

incana [Brown in] Alton Hort.
Kew, ed. 2, 119 (1813).

LEIRANTHUS L.

hirti L. Sp. Pl. 661 (1753).

LEUCULA Hill.

asturtium-aquaticum comb. nov.

I II *Nasturtium officinale* Br.

III *R. officinalis* Groves.

pluvialis Druce in Ann. Scott. Nat. Hist. 1906, 219.

I II *N. sylvestre* Br.

III *R. pinnata* Moench.

alustris Moench Meth. 263 (1784)

I II *N. palustre* DC.

ARBAREA Br.

frata Ascherson Fl. Brandenb. 1 35 (1864).

I II III *vulgaris* Br.

stricta Andrzejowski in Besser Enum. Pl. Volhyn. 72 (1822).

I II under *vulgaris*.

intermedia Boreau Fl. Centre, II 48 (1840).

I II under *vulgaris*.

verna Ascherson Fl. Brandenb. 1 36 (1864).

I under *vulgaris*.

II III *pratensis* Br.

IRABIS L.

hirsuta Scopoli Fl. Carn. ed. 2, II. 30 (1772).

ciliata [Brown in] Aiton Hort. Kew. ed. 2, IV. 107 (1812).

II under *hirsuta*.

stricta Hudson Fl. Anglica, ed. 2, 292 (1778)

alpina L. Sp. Pl. 664 (1753).

II not included

petraea Lamarck Encyclop. 1 221 (1783)

glabra Bernhardi Syst. Verz. Erfurt 195 (1800).

I II III *perfoliata* Lam.

CARDAMINE L.

repens L. Sp. Pl. 655 (1753).

flexuosa Withering Arr. Brit. Pl. ed. 3, III. 278 (1796).

I II under *hirsuta*.

hirsuta L. Sp. Pl. 655 (1753).

pratensis L. Sp. Pl. 656 (1753).

amara L. Sp. Pl. 656 (1753).

31 DENTARIA L.

bulbifera L. Sp. Pl. 653 (1753).

I *Cardamine bulbifera* Br.

32 HESPERIS L.

matronalis L. Sp. Pl. 663 (1753).

33 SISYMBRIUM L.

officinale Scopoli Fl. Carn. ed. 2, II. 26 (1772).

polyceratum L. Sp. Pl. 658 (1753).

Iris L. Sp. Pl. 659 (1753).

Sophia L. Sp. Pl. 659 (1753).

Thalianum J. Gay in Ann. Sci. Nat. VII. 399 (1826).

I *Arabis Thaliana* L.

34 ALLIARIA Adans.

alliacea comb. nov.

I III *officinalis* Andr.

II *Sisymbrium Altharia* Scop.

35 ERYSIMUM L.

cheiranthoides L. Sp. Pl. 661 (1753).

36 BRASSICA L.

oleracea L. Sp. Pl. 667 (1753).

campestris L. Sp. Pl. 666 (1753).

monensis Hudson Fl. Anglica, ed. 2, 291 (1778)

37 SINAPIS L.

nigra L. Sp. Pl. 668 (1753).

I II *Brassica nigra* Koch

arvensis L. Sp. Pl. 668 (1753).

I II *B. Sinapis* Vis

alba L. Sp. Pl. 668 (1753)

I II *B. alba* Boiss.

38 DIPLLOTAXIS DC.

tenuifolia DC. Syst. II. 632 (1821).

I *Brassica tenuifolia* Boiss.

muralis DC. Syst. II. 634 (1821).

I *B. muralis* Boiss.

39 ALYSSUM L.

alyssoides L. Syst. ed. 10, 1720 (1759).

I II *calycinum* L.

40 DRABA L.

aisoides L. Mant. 91 (1759).

rupestris [Brown in] Ait. Hort. Kew. ed. 2, IV. 91 (1812).

I *Draba*

incana L. Sp. Pl. 643 (1753).

—continued.

marialis L. Sp. Pl. 642 (1753).

I. Sp. Pl. 642 (1753).

II *Erophila vulgaris* DC.

CHELEARIA L.

officinalis L. Sp. Pl. 647 (1753).

alpina Watson Cybele Britannica,
i 127 (1847).

I II under *officinalis*

groenlandica L. Sp. Pl. 647 (1753)

I II under *officinalis*

danica L. Sp. Pl. 647 (1753)

I II under *officinalis*.

anglica L. Syst. ed. 10, 1128 (1759)

I under *officinalis*

ARMORACIA G. M. & S

rusticana Gaertner, Meyer and
Scherbius Fl. Wetterau, II.
426 (1800).

I II *Cochlearia Armoracia* L.

amphibia Petermann Fl. Lips
Excurs 477 (1838)

I II *Nasturtium amphibium* Br

HLASPI L

arvense L. Sp. Pl. 646 (1753)

perfoliatum L. Sp. Pl. 646 (1753).

alpestre L. Sp. Pl. ed. 2, 903 (1763)

virens Jordan Obs. Pl. Nouv. III
17 (1846).

I II under *alpestre*

UTCHINSIA Br

petraea [Brown in] Ait. Hort.
Kew. ed. 2, iv. 82 (1812)

RESDALEA Br.

nudicaulis [Brown in] Ait. Hort.
Kew. ed. 2, iv. 83 (1812)

HERIS L.

amara L. Sp. Pl., 649 (1753)

RPIDIUM L.

Draba L. Sp. Pl. 645 (1753)

campestre [Brown in] Ait. Hort.
Kew. ed. 2, iv. 88 (1812).

heterophyllum Benth. Cat. Pl.
Pyren. 95 (1826).

I *Smilax* Hook.

II under *campestre*.

ruderale L. Sp. Pl. 645 (1753).

48 CAPSELLA Vent.

Bursa-pastoris Medicus Pflanzen-
gattung. 85 (1792).

III *Bursa pastoris* Weber.

49 SUBULARIA L.

aquatica L. Sp. Pl. 642 (1753).

50 CORONOPUS L

procumbens Gilbert Fl. Lith. v.
52 (1782).

III III *Senecio a Coronopus* Pour.

didymus Smith Fl. Brit. II. 691
(1800).

I II *Senecio a didyma* Pers.

III *S. pinnatifida* DC

51 ISATIS L

tinctoria L. Sp. Pl. 670 (1753)

52 CAKILE Mill.

maritima Scopoli Fl. Carn. ed. 2,
II. 35 (1772)

53 CRAMBE L.

maritima L. Sp. Pl. 671 (1753)

54 RAPHANUS L.

Raphanistrum L. Sp. Pl. 669 (1753).

maritimus Smith Eng. Bot. t. 1643
(1806)

I under *Raphanistrum*.

VII RESEDACEÆ

55 RESEDA L

lutea L. Sp. Pl. 449 (1753)

Luteola L. Sp. Pl. 448 (1753).

VIII CISTACEÆ

56 HELIANTHEMUM Mill

guttatum Miller Gard. Dict. ed. 8,
n. 18 (1768).

marifolium Miller Gard. Dict. ed. 8,
n. 24 (1768).

I II *cannum* Dunal.

Chamaecistus Miller Gard. Dict.
ed. 8, n. 1 (1768).

I II *vulgare* Gaertn.

polifolium Miller Gard. Dict. ed. 8.

IX. VIOLACEÆ

VIOLA L.

- palustris** L. Sp. Pl. 934 (1753).
odorata L. Sp. Pl. 934 (1753).
hirta L. Sp. Pl. 934 (1753).
calcareæ Gregory in Journ. Bot. Alii. 67 (1904).
 I II III under *hirta*
silvestris Lamarck Fl. France, II 680 (1778).
 I under *canina*,
 II *syriatica* Fries
Riviniæ H. G. L. Reichenbach Pl. Crit. I 81 (1823)
 I under *canina*,
 II under *syriatica*
rupestris F. W. Schmidt in Neuere Abhandl. Bohmisch Ges. I 60 (1791).
 I II *arvensis* DC.
canina L. Sp. Pl. 935 (1753)
stagnina Kitaibel in J. A. Schultes Oesterr. Fl. ed. 2, I. 426 (1814).
 I II under *canina*
lutea Hudson Fl. Anglica. 331 (1762)
 I II under *tricolor*
tricolor L. Sp. Pl. 935 1753

X. POLYGALACEÆ

POLYGALA L.

- vulgaris** L. Sp. Pl. 702 (1753)
 I includes all here
serpyllacea Weihe in Flora, IX 745 (1826).
 II under *vulgaris*
calcareæ F. Schultz in Flora, XX 752 (1837)
amara L. Syst. ed. 10, 1154 (1759).

XI. FRANKENIACEÆ

FRANKENIA L.

- laevis** L. Sp. Pl. 331 (1753).

XII. CARYOPHYLLACEÆ

DIANTHUS L.

- prolifer** L. Sp. Pl. 410 (1753).
Armeria L. Sp. Pl. 410 (1753).

gratiopolitanus Villars. Pl. Dauph. III. 598 (1789).
 I II *caerulus* Sm.

deltoides L. Sp. Pl. 411 (1753).

61 **SAPONARIA** L.

officinalis L. Sp. Pl. 408 (1753).

62 **SILENE** L.

anglica L. Sp. Pl. 416 (1753).

 I II under *gallica* L.

nutans L. Sp. Pl. 417 (1753)

dubia Herbach Fl. Bucovin. 388 (1859).

Otites Wibel Prim. Fl. Werthem. 241 (1799).

latifolia comb. nov.

 I II III *Cucubalus* Wibel

maritima Withering Arr. Brit. Pl. ed. 3, II. 414 (1800).

 I under *Cucubalus*.

conica L. Sp. Pl. 418 (1753).

noctiflora L. Sp. Pl. 419 (1753).

acaulis L. Sp. Pl. ed. 2, 603 (1762).

63 **LYCHNIS** L.

Viscaria L. Sp. Pl. 436 (1753).

alpina L. Sp. Pl. 436 (1753).

Flos-cuculi L. Sp. Pl. 436 (1753).

alba Miller Dict. ed. 8, n. 4 (1768).

 I II *vespertina* Sibth.

dioica L. Sp. Pl. 437 (1753).

 I II *diurna* Sibth.

Githago Scopoli Fl. Carn. ed. 2, I. 310 (1772).

 II *Githago segetum* Desf.

64 **SAGINA** L.

procumbens L. Sp. Pl. 128 (1753).

apetala Arduino Animadv. Bot. II. 22 (1763).

 I under *procumbens*.

ciliata Fries in Liljeblad Svensk Flora, ed. 3, 713 (1816).

 I under *procumbens*,

 II under *apetala*

maritima G. Don Herb. Brit. fasc. VII. n. 155 (1806).

 I under *procumbens*,

 II under *apetala*.

Boydii White in Trans. Bot. Soc. Edinb. XVII. 33 (1887).

saginoides Dalla Torre Anleit. Alpenpfl. 75 (1882).

 I II III *Linnaei* Presl.

- 64 SAGINA**—*continued*.
nivalis Fries Nov. Mant. iii. 31 (1842).
 I II under *Linnaei*.
subulata Presl Fl. Sic. 158 (1826)
 I under *Linnaei*.
nodosa Fenzl Alsin. tab. after p. 18 (1833).
- 65 HONKENYA** Ehrh
peploides Ehrhart Beitrage, II 181 (1788).
 I II *Arenaria peploides* L.
- 66 MINUARTIA** L.
stricta Hiern in Journ. Bot. xxxvii 320 (1899).
 I II *Arenaria uliginosa* Schleich
verna Hiern l. c.
 I II *A. verna* L.
rubella Hiern l. c.
 I under *A. verna*,
 II *A. hirta* Wormsk
tenuifolia Hiern, l. c. 321.
 I II *A. tenuifolia* L.
 III *leptophylla* Groves
- 67 CHERLERIA** L.
sedoides L. Sp. Pl. 425 (1753)
 I II *Arenaria Chersii* Benth
- 68 ARENARIA** L.
trinervia L. Sp. Pl. 423 (1753)
serpyllifolia L. Sp. Pl. 423 (1753)
leptoclados Gussone Fl. Sicil. Syn II. 824 (1845).
 I II under *serpyllifolia*
ciliata L. Sp. Pl. 425 (1753)
gothica Fries Nov. Mant. II 33 (1839).
 I under *ciliata*
norvegica Gunnerus Fl. Norveg II. 144 (1772).
 I II under *ciliata*
- 69 HOLOSTEUM** L.
umbellatum L. Sp. Pl. 88 (1753).
- 70 STELLARIA** L.
nemorum L. Sp. Pl. 421 (1753)
media Villars Hist. Pl. Dauphiné, iii. 615 (1789).
neglecta Weihe in Bluff & Fingerhuth Comp. Fl. Germ. I. 560 (1825).
 I II under *media*,
 III *umbrosa* Opiz.
- Holosteia* L. Sp. Pl. 422 (1753).
palustris Retzius Fl. Scand. Prodr. ed. 2, 106 (1795).
graminea L. Sp. Pl. 422 (1753).
uliginosa Murray Prod. Sturp. Gotting. 55 (1770).
- 71 MYOSOTON** Moench
aquaticum Moench Method. 225 (1794).
 I II *Stellaria aquatica* Scop
 III *Malachium aquaticum* Fries
- 72 CERASTIUM** L.
viscosum L. Sp. Pl. 437 (1753).
 I includes 1-5 under *vulgatum*,
 II *glomeratum* Thuillier
vulgatum L. Fl. Succ. ed. 2, 158 (1755).
 II III *triviale* Link.
semidecandrum L. Sp. Pl. 438 (1753)
pumilum Curtis Fl. Londin. fasc. VI. 30 (1795-6)
 II under *tetrandrum*
tetrandrum Curtis Fl. Londin. fasc. VI. 31 (1795-6)
arvense L. Sp. Pl. 438 (1753).
arcticum Joh. Lange Fl. Danica, fasc. I. 7 (1880)
 I II *alpinum*
alpinum L. Sp. Pl. 438 (1753).
cerastoides Britton in Mem. Torr. Bot. Club, v. 150 (1894)
 I II *trigynum* Vill
 III *lapponicum* Crantz
- 73 MOENCHIA** Lhrh.
erecta Gaertner, Meyer & Scherbius Fl. Wett. I. 219 (1799).
 II *Cerastium quaternellum* Fenzl
 III *quaternella* Ehrh
- 74 POLYCARPON** Loeffl
tetraphyllum L. Syst. 10, 881 (1759).
- 75 ALSINE** L.
rubra Crantz Instit. II. 407 (1766)
 I II *Spergularia rubra* Pers.
 I includes all
rupicola Hiern in Journ. Bot. xxxvii 318 (1899).
 II *S. rupestris* Lebel.
media Crantz Instit. II. 407 (1766);
 Hiern in Journ. Bot., l. c.
 II *S. salina* Presl.
 III *salina* Groves.

75 **ALSINE**—*continued*.

- marginata* L. H. G. Reichenbach
Fl. Germ. Excurs. 566 (1832).
II *S. media* Pers
III *marina*.

76 **SPERGULA** L.

- arvensis* L. Sp. Pl. 440 (1753).
sativa Boenninghausen Prod. Fl.
Monast. 135 (1824).
I II under *arvensis*

77 **SCLERANTHUS** L.

- annuus* L. Sp. Pl. 406 (1753).
perennis L. Sp. Pl. 406 (1753).

XIII **PORTULACACEÆ**

78 **MONTIA** L.

- fontana* L. Sp. Pl. 87 (1753)

79 **CLAYTONIA** L.

- perfoliata* Donn ex Willd. Sp. Pl.
I 1186 (1797)
sibirica L. Sp. Pl. 204 (1753).
II *alsinoides* Sims.

XIII* **TAMARICACEÆ**

79* **TAMARIA** L.

- gallica* L. Sp. Pl. 270 (1753)
III *T. anglica* Webb

XIV **ELATINACEÆ**

80 **ELATINE** L.

- hexandra* DC Ic. Pl. Gall. 14
(1808)
Hydropiper L. Sp. Pl. 367 (1753)

XV **MALVACEÆ**

81 **MALVA** L.

- moschata* L. Sp. Pl. 690 (1753)
sylvestris L. Sp. Pl. 689 (1753).
rotundifolia L. Sp. Pl. 688 (1753).

82 **ALTHAEA** L.

- officinalis* L. Sp. Pl. 686 (1753).
hirsuta L. Sp. Pl. 687 (1753).

83 **LAVATERA** L.

- arborea* L. Sp. Pl. 690 (1753).
sylvestris Brotero Fl. Lusit. ii. 277
(1804).

XVI. **TILIACEÆ**

84 **TILIA** L.

- cordata* Miller Gard. Dict. ed. 8,
n. 1 (1768).
I under *europaea* Mill.
II *parvifolia* Ehrh.
platyphyllos Scopoli Fl. Carn. ed.
2, i. 373 (1772).
I under *europaea*.

XVII **HYPERICACEÆ**

85 **HYPERICUM** L.

- I *calycinum* L. Mant. 106 (1767).
2 *Androsaemum* L. Sp. Pl. 784
(1753).
3 *quadrangulum* L. Sp. Pl. 785
(1753).
II *tetraphyllum* Fr.
4 *undulatum* Schousboe ex Willd.
Linn. Pl. Hort. Berol. 810
(1809).
I under *quadrangulum*.
5 *perforatum* L. Sp. Pl. 785 (1753).
6 *maculatum* Ciantz Sturp. Austr.
ed. 2, 98 (1769).
I *dubium* Leers,
II *quadrangulum* Fr
7 *humifusum* L. Sp. Pl. 785 (1753).
8 *linariifolium* Vahl Symb. Bot. i.
65 (1790).
9 *hirsutum* L. Sp. Pl. 786 (1753).
10 *montanum* L. Fl. Succ. ii. 266
(1755).
11 *pulchrum* L. Sp. Pl. 786 (1753)
12 *elodes* L. Amoen. Acad. iv 105
(1759)

XVIII **GERANIACEÆ**

86 **GERANIUM** L.

- I *phaeum* L. Sp. Pl. 681 (1753)
2 *versicolor* L. Cent. Plant. i. 21
(1755).
I not included
II *striatum* L.
3 *sylvaticum* L. Sp. Pl. 681 (1753).
4 *pratense* L. Sp. Pl. 681 (1753)
5 *sanguineum* L. Sp. Pl. 683 (1753).
6 *pyrenaicum* N. L. Burman Geran.
27 (1759).
II *perenne* Huds

86 GERANIUM—*continued*.

- 7 *molle* L. Sp. Pl. 682 (1753)
 8 *rotundifolium* L. Sp. Pl. 683 (1753).
 9 *pusillum* L. Syst. ed. 10, 1144 (1759)
 10 *dissectum* L. Cent. Plant. 1. 21 (1755)
 11 *columbinum* L. Sp. Pl. 682 (1753)
 12 *lucidum* L. Sp. Pl. 682 (1753)
 13 *Robertianum* L. Sp. Pl. 681 (1753)

- 87 ERODIUM** L'Hérit.
cicutarium L'Héritier in Ait. Hort. Kew. II. 414 (1789)
moschatum L'Héritier, l.c.
maritimum L'Héritier, l.c. 416

- 88 IMPATIENS** L.
Noli-tangere L. Sp. Pl. 938 (1753)
biflora Walter Fl. Carolin. 219 (1788)
 I II *fulva* Nutt.
parviflora DC. Prodr. 1. 687 (1824)

- 89 OXALIS** L.
Acetosella L. Sp. Pl. 433 (1753)
corniculata L. Sp. Pl. 435 (1753)
 I II III *stricta* L.
stricta L. Sp. Pl. 435 (1753)
 I II III *corniculata* L.

XIX. LINACEÆ

- 90 LINUM** L.
angustifolium Hudson Fl. Anglica, ed. 2, 134 (1778)
perenne L. Sp. Pl. 277 (1753)
catharticum L. Sp. Pl. 281 (1753)

- 91 MILLEGRANA** Adans.
Radiola Druce l. l. Berks. 114 (1897)
 I *Radiola Millegrana* Sm.
 II III *R. hmodes* Roth

XX. ACERACEÆ

- 92 ACER** L.
campestre L. Sp. Pl. 1055 (1753).
Pseudoplatanus L. Sp. Pl. 1054

XXI. AQUIFOLIACEÆ

- 93 ILEX** L.
Aquifolium L. Sp. Pl. 125 (1753).

XXII. CELASTRACEÆ

- 94 EUONYMUS** L.
europæus L. Sp. Pl. 197 (1753).

XXIII. RHAMNACEÆ

- 95 RHAMNUS** L.
catharticus L. Sp. Pl. 193 (1753)
Frangula L. Sp. Pl. 193 (1753)

XXIV. LEGUMINOSÆ

- 96 ULEX** L.
europæus L. Sp. Pl. 741 (1753)
Gallii Planchon in Ann. Sci. Nat. ser. 3, VI. 213 (1849)
 I II under *nanus*
minor Roth. Catal. lect. 1. 83 (1797)
 I II *nanus* Forst.

- 97 GENISTA** L.
pilosa L. Sp. Pl. 710 (1753)
tinctoria L. Sp. Pl. 710 (1753)
anglica L. Sp. Pl. 710 (1753)

- 98 SAROTHAMNUS** Wimm.
scoparius Wimmer ex Koch. Syn. Fl. Germ. 1. 52 (1836)
 I II *Cytisus scoparius* Link.
 III *S. vulgaris* Wimm.

- 99 ONONIS** L.
spinosa L. Sp. Pl. 716 (1753).
 I *arvensis* L.
repens L. Sp. Pl. 717 (1753).
 I under *arvensis*,
 II under *spinosa*

- 100 LUPINUS** L.
nootkatensis Donn ex Sims Bot. Mag. 1311 (1810).

- 101 MEDICAGO** L.
sylvestris Fries Mant. III. 92 (1842).
 I II under *falcata*.
falcata L. Sp. Pl. 779 (1753).
lunulata L. Sp. Pl. 779 (1753).

1 **MEDICAGO**—*continued*.

arabica Hudson Fl. Anglica, 288 (1762).

1 II *maculata* Willd.

minima L. Fl. Anglica, 21 (1754).

denticulata Willdenow Sp. Pl. iii. 1414 (1800).

2 **MELILOTUS** Hill

officinalis Lamarek Fl. France, II 594 (1778).

1 II *altissima* Thuill.

Petitpierreana Hayne ex Willd. Hort. Berol. 790 (1809).

1 III *arvensis* Walli.

1 II *officinalis* Desr.

alba Desrousseau in Lam. Encycl. iv. 63 (1795-6).

3 **TRIFOLIUM** L.

1 *pratense* L. Sp. Pl. 768 (1753).

2 *medium* L. Amoen. Acad. iv. 105 (1759).

3 *ochroleucon* Hudson Fl. Anglica, 283 (1762).

4 *Molineri* Balbis Cat. Hort. Laur. App. i. 17 (1813).

1 II III under *incarnatum*.

5 *stellatum* L. Sp. Pl. 769 (1753).

6 *arvense* L. Sp. Pl. 769 (1753).

7 *striatum* L. Sp. Pl. 770 (1753).

8 *scabrum* L. Sp. Pl. 770 (1753).

9 *Bocconei* Savi Obs. Fritol. 37 (1810).

10 *squamosum* L. Amoen. Acad. iv. 105 (1759).

1 II *maritimum* Huds.

11 *subterraneum* L. Sp. Pl. 767 (1753).

12 *glomeratum* L. Sp. Pl. 770 (1753).

13 *strictum* L. Cent. i. 24 (1755).

14 *suffocatum* L. Mant. 276 (1771).

15 *repens* L. Sp. Pl. 767 (1753).

16 *hybridum* L. Sp. Pl. 766 (1753).

17 *fragiferum* L. Sp. Pl. 772 (1753).

18 *procumbens* L. Sp. Pl. 772 (1753).

19 *dubium* Sibth. Fl. Oxon. 231 (1794).

1 *minus* Sm.

20 *filiforme* L. Sp. Pl. 773 (1753).

TRIGONELLA L.

ornithopodioides DC. Fl. Fr. iv. 550 (1805).

1 III *purpurascens* Lam.

105 **LOTUS** L.

corniculatus L. Sp. Pl. 775 (1753).

tenuis Waldstein & Kitaibel ex Willd. Enum. Hort. Berol. II. 797 (1809).

1 II under *corniculatus*.

uliginosus Schkuhr Handb. II. 412 (1796).

1 under *corniculatus*.

angustissimus L. Sp. Pl. 774 (1753).

hispidus Desfontaines ex Loiseleur Fl. Gall. 490 (1807).

1 under *angustissimus*.

106 **ANTHYLLIS** L.

Vulneraria L. Sp. Pl. 719 (1753).

107 **OXYTROPIS** DC.

uralensis DC. Astragal. 68 (1802).

campestris DC. Astragal. 74 (1802).

108 **ASTRAGALUS** L.

danicus Retzius Obs. III. 41 (1873).

alpinus L. Sp. Pl. 760 (1753).

glycyphyllos L. Sp. Pl. 758 (1753).

109 **VICIA** L.

1 *hirsuta* S. F. Gray Nat. Arr. Brit. Pl. II. 614 (1821).

2 *tetrasperma* Moench Method. 148 (1794).

III *gemella* C. rantz.

3 *gracilis* Loiseleur Fl. Gall. 460 (1807).

1 II under *tetrasperma*.

4 *sylvatica* L. Sp. Pl. 734 (1753).

5 *Orobis* DC. Fl. France, v. 577 (1815).

6 *Cracca* L. Sp. Pl. 735 (1753).

7 *bithynica* L. Syst. ed. 10, 1166 (1759).

8 *sepium* L. Sp. Pl. 737 (1753).

9 *lutea* L. Sp. Pl. 736 (1753).

10 *angustifolia* L. Amoen. Acad. iv. 105 (1759).

1 III under *sativa* L.

11 *lathyroides* L. Sp. Pl. 736 (1753).

110 **LATHYRUS** L.

1 *Aphaca* L. Sp. Pl. 729 (1753).

2 *Nissolia* L. Sp. Pl. 729 (1753).

3 *hirsutus* L. Sp. Pl. 732 (1753).

4 *pratensis* L. Sp. Pl. 733 (1753).

5 *tuberosus* L. Sp. Pl. 732 (1753).

138 LUDWIGIA L.

- palustris* Elliott Bot. S. Carol 1.
211 (1817).
III *apetala* Walt

139 CIRCAEA L.

- Intetiana* L. Sp Pl 9 (1753)
alpina L. Sp. Pl 9 (1753).

XXVIII CUCURBITACEÆ

140 BRYONIA L

- dioica* Jacquin Fl. Austr II 59 (1774)

XXIX CRASSULACEÆ

141 TILLAEA L

- muscosa* L Sp. Pl 129 (1753)

142 SEDUM L

- 1 *roseum* Scopoli Fl Carn ed 2, 1
326 (1772).
I II *Rhodiola* DC
2 *Telephium* L. Sp Pl 430 (1753)
3 *purpureum* Pausch in Flora, VII
515 (1834)
I II III *Fabaria* Koch
(I II under *Telephium*)
4 *villosum* L Sp Pl. 432 (1753)
5 *album* L. Sp Pl 432 (1753)
6 *dasyphyllum* L Sp Pl 431 (1753)
7 *anglicum* Hudson Fl. Angl ed 2,
196 (1778)
8 *acre* L. Sp Pl 432 (1753)
9 *reflexum* L Fl Succ ed 2, 463
(1755).
10 *rupestre* L. Sp. Pl 431 (1753)
11 *Forsterianum* Smith Engl Bot
t 1802 (1807)
I II under *rupestre*.

143 COTYLEDON L

- Umbilicus* L. Sp Pl 429 (1753)

XXX RIBESIACEÆ

144 RIBES L.

- Grossularia* L. Sp Pl. 201 (1753).
alpinum L. Sp. Pl. 200 (1753)
nigrum L. Sp. Pl. 201 (1753).
rubrum L. Sp. Pl. 200 (1753)

XXXI. SAXIFRAGACEÆ

145 SAXIFRAGA L.

- 1 *umbrosa* L. Sp. Pl. ed. 2, 574
(1762).
2 *Geum* L. Sp. Pl. 401 (1753)
3 *stellaris* L Sp. Pl. 400 (1753)
4 *Hirculus* L Sp Pl 402 (1753)
5 *aizoides* L Sp Pl 403 (1753)
6 *hypnoides* L Sp Pl 405 (1753)
7 *caespitosa* L Sp Pl 404 (1753)
II under *hypnoides*
8 *rosacea* Moench Method 106
(1794)
I II III *decipiens* Ehrh
(I II under *hypnoides*)
9 *sponhemica* Gmelin Fl Bad II
224 (1806)
I II under *hypnoides*
10 *tridactylites* L Sp Pl 404 (1753)
11 *granulata* L Sp Pl 403 (1753)
12 *cernua* L. Sp Pl 403 (1753)
13 *rivularis* L. Sp Pl 404 (1753)
14 *nivalis* L. Sp Pl 401 (1753)
15 *oppositifolia* L Sp Pl 402 (1753)

146 CHRYSOSPLENIUM L

- alternifolium* L Sp Pl 398 (1753)
oppositifolium L Sp Pl 398
(1753)

147 PARNASSIA L

- palustris* L Sp Pl 273 (1753)

XXXII DROSERACEÆ

148 DROSER A L

- rotundifolia* L Sp Pl 281 (1753)
longifolia L Sp. Pl 282 (1753)
II *intermedia* Hayne
anglica Hudson Fl. Anglica, ed 2,
135 (1778)

XXXIII HALORAGACEÆ

149 MYRIOPHYLLUM L

- verticillatum* L. Sp. Pl. 992 (1753)
spicatum L Sp. Pl 992 (1753)
alterniflorum DC Fl. France,
529 (1815)
I under *spicatum*.

150 HIPPURIS L.

- vulgaris* L. Sp. Pl. 4 (1753).

XXXIV. UMBELLIFERÆ

- 51 **HYDROCOTYLE** L.
vulgaris L. Sp. Pl. 234 (1753)
- 52 **SANICULA** L.
europaea L. Sp. Pl. 235 (1753)
- 53 **ERYNGIUM** L.
maritimum L. Sp. Pl. 232 (1753)
campestre L. Sp. Pl. 233 (1753)
- 54 **CICUTA** L.
virosa L. Sp. Pl. 255 (1753)
- 55 **APIUM** L.
graveolens L. Sp. Pl. 264 (1753)
nodiflorum H. G. Reichenbach Ic
 Fl. Germ. xxi. 10 (1867)
inundatum H. G. Reichenbach Ic
 Fl. Germ. xxi. 9 (1867)
- 56 **PETROSELINUM** Hill.
segetum Koch in Nov. Act. Cur.
 vii. 1, 128 (1824)
 i. ii. *Carum segetum* Benth.
- 57 **SISON** L.
Amomum L. Sp. Pl. 252 (1753)
- 58 **TRINIA** Hoffmann
glauca H. G. L. Reichenbach
 Iconogr. v. 25 (1827)
 i. ii. *vulgaris* DC.
 iii. *Apinella glauca* () Kuntze
- 59 **AEGOPODIUM** L.
Podagraria L. Sp. Pl. 265 (1753)
- 60 **CARUM** L.
verticillatum Koch in Nov. Act.
 Cur. vii. 1, 122 (1824)
majus comb. nov.
 i. ii. *Conopodium denudatum*
 Koch
 iii. *flexuosum* Fr.
Bulbocastanum Koch in Nov. Act.
 Cur. xii. 1, 121 (1824)
- PIMPINELLA** L.
major Hudson Fl. Angl. 110 (1762)
 i. *magna* L.
Saxifraga L. Sp. Pl. 263 (1753)
- SIUM** L.
latifolium L. Sp. Pl. 251 (1753)
erectum Hudson Fl. Angl. 110
 (1762).
 i. ii. *angustifolium* L.

163 BUPLEURUM L.

- tenuissimum* L. Sp. Pl. 238 (1753)
opacum Lange in Willk. & Lange
 Prodr. Fl. Hispan. iii. 71 (1880)
 i. ii. iii. *aristatum* Bartl.
falcatum L. Sp. Pl. 237 (1753).
rotundifolium L. Sp. Pl. 236 (1753)

164 OENANTHE L.

- fistulosa* L. Sp. Pl. 254 (1753)
pimpinelloides L. Sp. Pl. 255 (1753).
Lachenalii C. C. Gmelin Fl. Bad.
 i. 678 (1805)
 i. under *pimpinelloides*
peucedanifolia Pollich Hist. Pl.
 Palat. i. 289 (1776)
 i. under *pimpinelloides*
crocata L. Sp. Pl. 254 (1753).
aquatica Poir. in Lam. Encycl. iv.
 530 (1798?).
 i. ii. iii. *Phellandrium* Lam.
fluviatilis Coleman in Ann. Mag.
 Nat. Hist. xiii. 188 (1844)
 i. ii. under *Phellandrium*

165 AETHUSA L.

- Cynapium* L. Sp. Pl. 256 (1753)

166 FOENICULUM Mill.

- vulgare* Miller Gard. Dict. ed. 8,
 n. 1 (1768)
 ii. *officinale* Willd.

167 SESELI L.

- Libanotis* Koch in Nov. Act. Cur.
 vii. 1, 111 (1824)

168 HALOSCIAS FRIES

- scoticum* Fries Summa Veg. Scand.
 i. 180 (1846)
 i. ii. *Ligusticum scoticum* L.

169 SILAUS Bernh.

- flavescens* Bernhardt Syst. Verz.
 Erfurt. 174 (1800)
 i. ii. *pratensis* Bess.

170 MEUM Mill.

- athamanticum* Jacquem. Fl. Austr.
 iv. 2 (1776)

171 CRITHMUM L.

- maritimum* L. Sp. Pl. 246 (1753)

172 ANGELICA L.

- sylvestris* L. Sp. Pl. 251 (1753)

- 173 **SELINUM** L.
Carvifolia L. Sp. Pl. ed. 2, 350
 (1762)
- 174 **PEUCEDANUM** L.
officinale L. Sp. Pl. 245 (1753)
palustre Moench Method. 82 (1794)
Ostruthium Koch in Nov. Act.
 Cur. xii. 1, 95 (1824)
- 175 **PASTINACA** L.
sativa L. Sp. Pl. 262 (1753)
 II *Peucedanum sativum* Benth.
- 176 **HERACLEUM** L.
Sphondylium L. Sp. Pl. 249 (1753)
- 177 **DAUCUS** L.
Carota L. Sp. Pl. 242 (1753)
gummifer Lamarck Encycl. 1, 634
 (1785)
 I II under *Carota*
- 178 **CAUCALIS** L.
daucoides L. Sp. Pl. 241 (1753)
- 179 **TORILIS** Adans.
Anthriscus Bernhardt Svst. Verz.
 Erfurt. 167 (1800)
 I II *Caucalis Anthriscus* Huds.
arvensis Link. Enum. 1, 265 (1821)
 I II *C. arvensis* Huds.
 III *T. infesta* Spreng.
nodosa Gaertner Fruct. 1, 82 (1788)
 I II *C. nodosa* Scop.
- 180 **SCANDIX** L.
Pecten-Veneris L. Sp. Pl. 256
 (1753)
- 181 **CHAEROPHYLLUM** L.
sylvestre L. Sp. Pl. 258 (1753)
 II *Anthriscus sylvestris* Hoffm.
Anthriscus Lamarck Encycl. 1,
 685 (1785)
 II *A. vulgaris* Pers.
temulum L. Sp. Pl. 258 (1753)
- 182 **MYRRHIS** Scop.
Odorata Scopoli Fl. Carn. ed. 2, 1
 207 (1772)
- 183 **CONIUM** L.
maculatum L. Sp. Pl. 243 (1753).
- 184 **PHYSOSPERMUM** Cusson.
cornubiense DC. Prodr. iv. 246
 (1830)
 III *commutatum* Spreng.
- 185 **SMYRNIUM** L.
Olusatrum L. Sp. Pl. 262 (1753)
- XXXV. ARALIACEÆ
- 186 **HEDERA** L.
Helix L. Sp. Pl. 202 (1753)
- XXXVI. CORNACEÆ
- 187 **CORNUS** L.
sanguinea L. Sp. Pl. 117 (1753)
suecica L. Sp. Pl. 118 (1753)
- XXXVII. LORANTHACEÆ
- 188 **VISCUM** L.
album L. Sp. Pl. 1023 (1753)
- XXXVIII. CAPRIFOLIACEÆ
- 189 **ADOXA** L.
Moschatellina L. Sp. Pl. 367 (1753)
- 190 **SAMBUCUS** L.
Ebulus L. Sp. Pl. 269 (1753)
nigra L. Sp. Pl. 269 (1753)
- 191 **VIBURNUM** L.
Lantana L. Sp. Pl. 268 (1753)
Opulus L. Sp. Pl. 268 (1753)
- 192 **LONICERA** L.
Periclymenum L. Sp. Pl. 173 (1753)
- 193 **LINNAEA** L.
borealis L. Sp. Pl. 631 (1753)
- XXXIX. RUBIACEÆ
- 194 **SHERARDIA** L.
arvensis L. Sp. Pl. 102 (1753)
- 195 **ASPERULA** L.
cynanchica L. Sp. Pl. 104 (1753)
odorata L. Sp. Pl. 103 (1753)
- 196 **GALIUM** L.
 1 *boreale* L. Sp. Pl. 108 (1753)
 2 *Cruciata* Scopoli Fl. Carn. ed.
 1, 100 (1772).
 3 *tricornis* Stokes in With. Arr. c.
 2, 152 (1787).
 4 *Aparine* L. Sp. Pl. 108 (1753).

GALIUM—continued

- 5 **spurium** L. Sp Pl. 106 (1753)
I under *Aparine*
- 6 **anglicum** Hudson Fl Anglica, ed 2, 69 (1778).
- 7 **Mollugo** L Sp. Pl. (1753)
- 8 **erectum** Hudson Fl Anglica, 56 (1762)
I II under *Mollugo*
- 9 **verum** L. Sp Pl. 107 (1753)
- 10 **saxatile** L Sp. Pl 106 (1753)
- 11 **umbellatum** Lamarck Encycl II 579 (1788).
I under *saxatile* as *sylvestre* Poll
II *sylvestre*
- 12 **uliginosum** L Sp Pl 106 (1753)
- 13 **palustre** L Sp Pl. 105 (1753)

RUBIA L

- peregrina** L Sp Pl 109 (1753)

XL VALERIANACEÆ

- KENTRANTHUS** Neck
ruber DC Fl. France, IV 239 (1805)

VALERIANA L

- officinalis** L Sp Pl 31 (1753)
- pyrenaica** L Sp Pl 33 (1753)
- dioica** L Sp Pl 31 (1753)

VALERIANELLA Hill

- olitoria** Pollich Hist Pl Palat I 30 (1776)
- carinata** Loiseleur Not Pl Fl France, 149 (1810)
- rimosa** Bastard in Desv Journ de Bot III. 20 (1814)
I II *Aurcula* DC
- dentata** Pollich Hist Pl Palat I 30 (1776).
- eriocarpa** Desvaux in Journ de Bot II 314 (1809)
I under *dentata*

XLI DIPSACACEÆ

DIPSACUS L

- sylvestris** Hudson Fl Anglica, 49 (1762).
- pilosus** L. Sp Pl. 97 (1753).

202 KNAUTIA Coult

- arvensis** Coulter Dipsacées, 29 (1823)
I II *Scabiosa arvensis* L.

203 SCABIOSA L

- Succisa** L Sp Pl 98 (1753).
- Columbaria** L. Sp Pl. 99 (1753)

XLII COMPOSITÆ

204 EUPATORIUM L

- cannabinum** L Sp Pl 838 (1753)

205 PETASITES Hill

- ovatus** Hill Herb Brit I 28 (1769)
I *Tussilago Petasites* L
II *vulgaris* Desf
III *officinalis* Moench
fragrans Presl Fl Sicula, I XXVIII (1826)

206 TUSSILAGO L

- Farfara** L Sp Pl 865 (1753)

207 ASTER L

- Tripolium** L Sp Pl 872 (1753)

208 ERIGERON L

- canadensis* L Sp Pl 863 (1753)
- acris** L Sp Pl 863 (1753)
- alpinus** L Sp Pl 864 (1753)

209 BELLIS L

- perennis** L Sp Pl 886 (1753)

210 SOLIDAGO L

- Virgaurea** L Sp Pl 880 (1753)

211 LINOSYRIS DC.

- vulgaris** DC Prodr V 352 (1836)
I II *Aster vulgaris* Bernh.

212 INULA L

- Helenium** L Sp Pl 881 (1753)
- salicina** L Sp Pl 882 (1753)
- vulgaris** Trevisan Fl Euganean 29 (1842)
I II III *Conyza* DC.
crithmoides L Sp Pl 883 (1753).

213 PULICARIA Gaertn.

- prostrata** Ascherson Fl Brandenb I 304 (1864)
I *Inula Pulicaria* L.
II III *vulgaris* Gaertn

- 213 PULICARIA** Gaertn.—*contd.*
dysenterica S. F. Gray Nat. Arr.
 II 463 (1821)
 I I *dysenterica* L
- 214 FILAGO** L.
germanica Hudson Fl. Anglica,
 328 (1762)
apiculata G. E. Smith in Phytol.
 II, 575 (1846)
 I II under *germanica*
spathulata Presl Delic. 99 (1822)
 I II under *germanica*
minima Fries Nov. Fl. Suec. 99
 (1823)
gallica L. Sp. Pl. *Add.* (1753)
- 215 GNAPHALIUM** L.
luteo-album L. Sp. Pl. 851 (1753)
uliginosum L. Sp. Pl. 856 (1753)
sylvaticum L. Sp. Pl. 856 (1753)
norvegicum Gunnerus Fl. Norveg.
 II 105 (1772)
 I II under *sylvaticum*
supinum L. Syst. ed. III 234 (1768)
- 216 ANTENNARIA** Gaertn.
dioica Gaertner Fruct. II 410
 (1791)
margaritacea Brown ex Less. Syn.
 Comp. 354 (1832)
- 217 ACHILLEA** L.
Ptarmica I. Sp. Pl. 898 (1753)
Millefolium I. Sp. Pl. 899 (1753)
- 218 ANTHEMIS** L.
arvensis L. Sp. Pl. 894 (1753)
Cotula L. Sp. Pl. 894 (1753)
nobilis L. Sp. Pl. 894 (1753)
- 219 MATRICARIA** L.
Parthenium L. Sp. Pl. 890 (1753)
 I II *Chrysanthemum Parthe-*
num Pers.
inodora L. Fl. Suec. ed. 2, 297
 (1755)
Chamomilla L. Sp. Pl. 891 (1753)
discoidea DC. Prodr. VI 50 (1837)
- 220 CHRYSANTHEMUM** L.
Leucanthemum L. Sp. Pl. 888
 (1753).
----- L. Sp. Pl. 889 (1753)
- 221 DIOTIS** Desf.
maritima Cassini in Dict. Sci. N.
 XIII 295 (1819).
 III *candidissima* Desf.
- 222 ARTEMISIA** L.
Absinthium L. Sp. Pl. 848 (1753)
campestris L. Sp. Pl. 846 (1753)
vulgaris L. Sp. Pl. 848 (1753)
maritima L. Sp. Pl. 846 (1753)
Stelleriana Besser in Nouv. M.
 Soc. Nat. Mosc. III, 79 (1834)
- 223 COIULA**
coronopifolia I. Sp. Pl. 892 (175)
- 224 TANACETUM** L.
vulgare L. Sp. Pl. 844 (1753)
- 225 SENECIO** L.
 I *vulgaris* L. Sp. Pl. 867 (1753)
 2 *sylvaticus* L. Sp. Pl. 868 (1753)
 3 *viscosus* L. Sp. Pl. 868 (1753)
 4 *squalidus* L. Sp. Pl. 869 (1753)
 5 *erucifolius* L. Sp. Pl. [869
 errata] (1753)
 6 *Jacobaea* L. Sp. Pl. 870 (1753)
 7 *aquaticus* Hudson Fl. Angl.
 317 (1762)
 8 *paludosus* L. Sp. Pl. 870 (1753)
 9 *sarracenicus* L. Sp. Pl. 871 (1753)
 10 *palustris* Hooker Fl. Bor. Am.
 I 334 (1834)
 11 *integrifolius* Clairville Man. I
 bor. 241 (1811)
 I II III *campestris* DC.
 12 *spathulifolius* DC. Prodr. VI
 (1837)
 I II under *campestris*
 13 *Cineraria* DC. Prodr. VI
 (1837)
- 226 BIDENS** L.
 I *tripartita* L. Sp. Pl. 831 (1753)
 2 *cernua* L. Sp. Pl. 832 (1753)
- 227 GALINSOGA** R. & P.
parviflora Cavanilles Ic. III
 (1794)
- 228 SAUSSUREA** DC.
alpina DC. in Ann. Mus. Par.
 198 (1810)

- 232 **CARLINA** L.
vulgaris L. Sp. Pl 828 (1753).
- 233 **ARCTIUM** L.
Lappa L. Sp Pl 816 (1753)
I II include all here,
III *major* Bernh.
nemorosum Lejeune Comp Fl
Belg III 129 (1836)
minus Bernhardt Syst Verz Lf
154 (1800)
pubens Babington in Ann Mag
Nat Hist ser 2, XVII 376
(1856).
- 34 **SERRATULA** L.
tinctoria L, Sp Pl 816 (1753)
- 35 **CENTAUREA** L.
Jacea L. Sp Pl 914 (1753)
nigra L. Sp Pl 911 (1753)
Cyanus L. Sp Pl 911 (1753)
Scabiosa L. Sp Pl 913 (1753)
solstitialis L. Sp Pl 917 (1753)
Calcitrapa L. Sp Pl 917 (1753)
- 33 **ONOPORDUM** L.
Acanthium L. Sp Pl 827 (1753)
- 34 **CARDUUS** L.
1 *nutans* L. Sp Pl 821 (1753)
2 *crispus* L. Sp Pl 821 (1753)
I *acanthoides* L.
3 *pycnocephalus* L. Sp Pl ed 2,
1151 (1763)
4 *lanceolatus* L. Sp Pl 821 (1753)
5 *eriphorus* L. Sp. Pl 823 (1753)
II *Cnicus eriphorus* Hoffm
6 *arvensis* Robson Brit Fl 163
(1777)
II *Cn. arvensis* Hoffm
7 *palustris* L. Sp Pl 822 (1753)
II *Cn. palustris* Hoffm
8 *pratensis* Hudson Fl Anglica,
ed 2, 353 (1778)
II *Cn. pratensis* W
9 *tuberosus* L. Sp Pl 824 (1753)
II *Cn. tuberosus* Hoffm
10 *acaulis* L. Sp Pl 1199 (1753)
II *Cn. acaulis* Hoffm
11 *heterophyllus* L. Sp Pl 824
(1753)
II *Cn. heterophyllus* W
- 235 **SILYBUM** Vaill
Marianum Gaertner Fruct. II 378
(1791)
I *Carduus Marianus* L
III *Mariana lactea* Hill
- 236 **LAPSANA** L.
communis L. Sp Pl 811 (1753)
- 237 **ARNOSERIS** Gaertn
minima Link Enum Hort Berol
II 294 (1822)
I II III *pusilla* Gaertn
- 238 **CICHORIUM** L.
Intybus L. Sp Pl 813 (1753).
- 239 **HYPOCHAERIS** L.
glabra L. Sp Pl 811 (1753)
radicata L. Sp Pl 811 (1753)
maculata L. Sp Pl 810 (1753)
- 240 **THRINCIA**
nudicaulis Britten in Journ Bot
vllv 33 (1907)
I II *Leontodon hirtus* I
III *hirta* Roth.
- 241 **LEONTODON** L.
hispidus L. Sp Pl 799 (1753)
autumnalis L. Sp Pl 798 (1753)
- 242 **TRAGOPOGON** L.
pratensis L. Sp Pl 789 (1753)
minor Miller Gard Dict ed. 8,
II 2 (1768)
- 235 **PICRIS**
hieracioides L. Sp Pl 792 (1753)
- 236 **HELMINTIA** Juss.
echioides Gaertner Fruct II 368
(1791)
II *Picris echinoides* I
- 237 **LACTUCA** L.
saligna L. Sp Pl 796 (1753)
Seriola L. Cent Pl II 29 (1756)
I II *Scariola* L.
virosa L. Sp Pl 795 (1753)
I under *Scariola*.
muralis Gaertner Fruct II 158
(1791)
- 238 **TARAXACUM** Juss
officinale Weber ex Wiggers Prim
Fl Holsat 56 (1780)

239 SONCHUS L.

oleraceus L. Sp. Pl. 794 (1753)

asper Hill Herb. Brit. 47 (1769)

I II under *oleraceus*.

arvensis L. Sp. Pl. 793 (1753)

palustris L. Sp. Pl. 793 (1753)

240 MUGLIIDIUM Cass

alpinum Lessing Syn. Compos.

142 (1832)

I II *Lactuca alpina* Benth

241 CREPIS L

taraxacifolia Thuillier Fl. Paris,

ed. 2, 409 (1799)

foetida L. Sp. Pl. 807 (1753)

capillaris Wallroth Fl. Hercyn.

287 (1840)

I II III *virens* L.

biennis L. Sp. Pl. 807 (1753)

succisifolia Tausch in Flora, xi, 1,

Erganz. 79 (1828)

I II *hieracioides* Jacq.

paludosa Moench Method. 535

(1794)

242 HIERACIUM L. (See Preface)

pilosella L. Sp. Pl. 800 (1753)

alpinum L. Sp. Pl. 800 (1753)

murorum L. Sp. Pl. 802 (1753)

sabaudum L. Sp. Pl. 804 (1753)

II III *boreale* Fr.

umbellatum L. Sp. Pl. 804 (1753)

XLIII. CAMPANULACEÆ

243 LOBELIA L.

Dortmanna L. Sp. Pl. 929 (1753)

urens L. Sp. Pl. 931 (1753)

244 JASIONE L.

montana L. Sp. Pl. 928 (1753)

245 PHYTEUMA L.

orbiculare L. Sp. Pl. 170 (1753)

spicatum L. Sp. Pl. 171 (1753)

246 CAMPANULA L.

glomerata L. Sp. Pl. 166 (1753)

latifolia L. Sp. Pl. 165 (1753)

Trachelium L. Sp. Pl. 166 (1753)

rotundifolia L. Sp. Pl. 163 (1753)

Rapunculus L. Sp. Pl. 164 (1753)

natula L. Sp. Pl. 163 (1753).

247 LEGOUSIA Durand.

hybrida Delarbre Fl. Auvergne

ed. 2, 47 (1800)

I *Campanula hybrida* L.

II III *Specularia hybrida* A. DC.

248 WAHLENBERGIA Schrad.

hederacea H. G. L. Reichenb.

Iconogr. Bot. v. 47 (1827)

I *Campanula hederacea* L.

III *Cervicina hederacea* Druce

XLIV. ERICACEÆ

249 ARBUTUS L.

Unedo L. Sp. Pl. 395 (1753)

250 ARCTOSTAPHYLOS Adans.

alpina Sprengel Syst. II, 287 (1821)

Uva-ursi Sprengel l. c.

251 ANDROMEDA L.

Polyfolia L. Sp. Pl. 393 (1753)

252 CALLUNA Salisb.

vulgaris Hull Brit. Fl. ed. 2,

114 (1808)

III *C. Erna* DC.

253 ERICA L.

Tetralix L. Sp. Pl. 353 (1753)

Mackayi Hooker in Comp. Bot.

Mag. 1, 158 (1835)

I II under *Tetralix*

cinerea L. Sp. Pl. 352 (1753)

ciliaris L. Sp. Pl. 354 (1753)

mediterranea L. Mant. 229 (1771)

I *carnea* L.

vagans L. Mant. 230 (1771)

254 BRYANTHUS S. G. Gmel.

coeruleus Dippel Handb. Lau.

holz. 1, 385 (1889)

I *Menziesia coerulea* Sm.

II *Phyllodoce coerulea* Bab.

III *B. taxifolius* A. Gray

255 DABOECIA D. Don

cantabrica comb. nov.

I II *Menziesia polyfolia* Sm.

III *Boreta cantabrica* O. K.

256 AZALEA L.

procumbens L. Sp. Pl. 151 (1753)

III *Lousdecuria procumbens* De

27 VACCINIUM L.

- Myrtillus* L. Sp. Pl. 349 (1753).
uliginosum L. Sp. Pl. 350 (1753).
Vitis-idaea L. Sp. Pl. 351 (1753)
Oxycoccus L. Sp. Pl. 351 (1753)

28 PYROLA L.

- rotundifolia* L. Sp. Pl. 396 (1753)
media Swartz in Vet Acad Handl.
 xxv. 263 (1804)
minor L. Sp. Pl. 281 (1753)
secunda L. Sp. Pl. 396 (1753)

29 MONESES Salisb.

- uniflora* A. Gray Man Bot N U
 S 273 (1848)
 I II *Pyrola uniflora* L.
 III *grandiflora* A. Gray

30 MONOTROPA L.

- Hypopitys* L. Sp. Pl. 387 (1753)
 II *Hypopithys multiflora* Scop.

XLV. PRIMULACEÆ

31 HOTTONIA L.

- palustris* L. Sp. Pl. 145 (1753)

32 PRIMULA L.

- veris* L. Sp. Pl. 142 (1753)
elatior Jacquin Miscell. I 158
 (1778)
 I under *veris*
acaulis L. Fl. Angl. 12 (1754)
 I under *veris*,
 II *vulgaris* Huds.
farinosa L. Sp. Pl. 143 (1753)
scotica Hooker Fl. Lond. t. 133
 (1821)
 I under *farinosa*

33 CYCLAMEN L.

- hederifolium* Aiton Hort. Kew. I
 196 (1789).
 I *europæum* Sm.

264 LYSIMACHIA L.

- thyrsiflora* L. Sp. Pl. (1753)
vulgaris L. Sp. Pl. 146 (1753).
calata L. Sp. Pl. 147 (1753)
Nummularia L. Sp. Pl. 148 (1753)
nemorum L. Sp. Pl. 148 (1753)

265 TRIENTALIS L.

- europæa* L. Sp. Pl. 344 (1753).

266 GLAUX L.

- maritima* L. Sp. Pl. 207 (1753)

267 ANAGALLIS L.

- arvensis* L. Sp. Pl. 148 (1753).
tenella L. Mant. 335 (1771)

268 CENTUNCULUS L.

- minimus* L. Sp. Pl. 116 (1753).

269 SAMOLUS L.

- Valerandi* L. Sp. Pl. 171 (1753)

XLVI. LENTIBULARIACEÆ

270 PINGUICULA L.

- vulgaris* L. Sp. Pl. 17 (1753).
grandiflora Lamarck Encycl.
 III 22 (1789)
 I II under *vulgaris*.
alpina L. Sp. Pl. 17 (1753)
lusitanica L. Sp. Pl. 17 (1753)

271 UTRICULARIA L.

- vulgaris* L. Sp. Pl. 18 (1753)
major Schumdel Ic. Pl. 80, t. XXI
 (1762)
 I II under *vulgaris* as *neglecta*
 Lehmann
intermedia Hayne in Schrad.
 Journ. 1800, 18 (1800)
minor L. Sp. Pl. 18 (1753)

XLVII. OLEACEÆ

272 LIGUSTRUM L.

- vulgare* L. Sp. Pl. 7 (1753).

273 FRAXINUS L.

- excelsior* L. Sp. Pl. 1057 (1753)

XLVIII. APOCYNACEÆ

274 VINCA L.

- minor* L. Sp. Pl. 209 (1753)

XLIX. GENTIANACEÆ

275 BLACKSTONIA Huds.

- perfoliata* Hudson Fl. Angl. 146
 (1762).
 I II *Chlora perfoliata* L.

276 CENTAURION Gilib.

minus Moench Method. 449 (1794).

I II III *Erythraea Centaurium*
Pers

I II include all here

pulchellum Druce Fl. Oxf 342
(1897)

III *E. ramosissima* Pers

vulgare Rafn Danm. Fl. 73 (1800)

III *E. littoralis* Fries

capitatum *comb nov*

III *E. capitata* Willd

277 CICENDIA Adans.

filiformis Delaibre Fl. Auvergne,
ed 2, 29 (1800)

I II *pusilla* Griseb

278 GENTIANA L

Amarella L Sp Pl 230 (1753)

germanica Willdenow Sp Pl 1
1346 (1797).

I II III under *Amarella*

campestris L Sp Pl 231 (1753)

nivalis L Sp Pl 229 (1753)

verna L. Sp. Pl 228 (1753)

Pneumonanthe L Sp Pl 228
(1753)

279 NYMPHOIDES Medic

peltatum *comb nov.*

I *Limnanthemum nymphaeoides*
Link

II III *L. peltatum* Gmel

280 MENYANTHES L

trifoliata L Sp Pl. 145 (1753)

L. POLEMONIACEÆ

281 POLEMONIUM L

coeruleum L. Sp Pl 162 (1753)

LI CONVULVULACEÆ

282 CONVULVULUS L

arvensis L. Sp. Pl 153 (1753)

sepium L. Sp. Pl 153 (1753).

Soldanella L Sp. Pl 159 (1753).

283 CUSCUTA L

europaea L. Sp. Pl. 124 (1753)

Epithymum Murray Syst. 173 (1797).

Trifolium Babington in Phytol. 1.
467 (1843).

I II under *Epithymum*

LII BORAGINACEÆ

284 ASPERUGO L.

procumbens L. Sp. Pl. 138 (1753)

285 CYNOGLOSSUM L.

officinale L. Sp. Pl. 134 (1753)

montanum L. Demonstr. Pl
Hort Ups 5 (1753)

286 BORAGO L.

officinalis Sp Pl 137 (1753)

287 ANCHUSA L

sempervirens L Sp. Pl 134 (1753)

288 LYCOPSIS L

arvensis L Sp Pl 139 (1753)

II *Anchusa arvensis* Bieb

289 SYMPHYTUM L.

officinale L Sp Pl 136 (1753)

tuberosum L Sp Pl 136 (1753)

290 ECHIUM L.

vulgare L Sp Pl 139 (1753)

plantagineum L Mant. 202 (1771)

291 PULMONARIA L.

angustifolia L Sp Pl 135 (1753)

I under *officinalis* L

292 MERTENSIA Roth

maritima S F Gray Nat Ari 1
354 (1821)

III *Pneumaria maritima* Hill

293 LITHOSPERMUM L

officinale L Sp Pl 132 (1753)

purpureo-coeruleum L Sp Pl 13
(1753)

arvensis L Sp Pl 132 (1753)

294 MYOSOTIS L

scorpioides L Sp Pl 131 (1753)

I II *palustris* With

repens G & D Don ex Hook F
Scot 67 (1821)

I II under *palustris*

caespitosa K F Schultze Prodr. F
Starg Suppl 1 II (1819)

I under *palustris*

sylvatica G F Hoffmann Deu
schl Fl 61 (1791)

pyrenaica Pourret in Mém Aca
Toul III 322 (1788).

I II under *sylvatica*,

III *alpestris*.

294 **MYOSOTIS**—*continued*.

- arvensis* Hill Veg. Syst vii 55
(1764).
collina G F. Hoffmann Deutschl
Fl 61 (1791).
versicolor Sm Engl Bot t 480
(1813)

LIII SOLANACEÆ

295 **SOLANUM** L

- nigrum* L Sp Pl 186 (1753)
Dulcamara L Sp Pl 185 (1753).

296 **ATROPA** L

- Belladonna* L Sp Pl 181 (1753)

297 **HYOSCYAMUS** L.

- niger* L Sp Pl 179 (1753)

298 **LYCIUM** L.

- chinense* Miller Gard Dict ed 8,
n 5 (1768)
I II *barbarum* L.

LIV OROBANCHACEÆ

299 **OROBANCHE** L

- major* L Sp Pl 632 (1753)
rubra Smith Eng Bot t 1786
(1807)
caryophyllacea Smith in Trans
Linn Soc iv 169 (1798)
elator Sutton in Trans Linn Soc
iv 178 (1798)
minor Smith Eng Bot t 422 (1797)
Picridis F. W. Schultz in Ann
Gewachs Regensb v 504 (1830)
I II under *minor*
Hederæ Duby Bot Gall i 350
(1828)
I II under *minor*
amethystea Thuillier Fl Paris,
ed 2, 317 (1799)
I II under *minor*
purpurea Jacquin Enum Stirp
Vindob 108 (1762)
I II *coerulea* Vill

300 **LATHRAEA** L.

- Squamaria* L Sp. Pl. 606 (1753)

LV. SCROPHULARIACEÆ

301 **VERBASCUM** L.

- Thapsus* L. Sp Pl. 177 (1753)
Lychnitis L Sp Pl 177 (1753).
pulverulentum Villars Prosp 22
(1779)
nigrum L. Sp. Pl 178 (1753)
Blattaria L Sp Pl 178 (1753)
virgatum Stokes in With Arr
Brit Pl i 227 (1787)
II under *Blattaria*

302 **ERIVUS** L

- alpinus* L Sp Pl 630 (1753)

303 **DIGITALIS** L

- purpurea* L Sp Pl 621 (1753)

304 **ANTIRRHINUM** L

- majus* L Sp Pl 617 (1753)
Orontium L Sp Pl 617 (1753).

305 **LINARIA** Hill.

- Cymbalaria* Miller Gard Dict. ed.
8, n 17 (1768)
Elatine Miller Gard Dict ed 8,
n 16 (1768)
spuria Miller Gard Dict ed 8,
n 15 (1768)
minor Desfontaines Fl Atlant ii
46 (1798)
III *viscida* Moench
supina Desfontaines Fl. Atlant. ii.
44 (1798)
repens Miller Gard Dict ed 8,
n 6 (1768)
vulgaris Miller Gard Dict. ed. 8,
n 1 (1768)

306 **SCROPHULARIA** L.

- nodosa* L Sp Pl 619 (1753)
aquatica L Sp Pl 620 (1753)
umbrosa Dumortier Fl Belg
Prod 37 (1827)
I under *aquatica* as *Ehrharti*,
II under *aquatica*
Scorodonia L Sp. Pl 620 (1753).
vernalis L Sp. Pl. 620 (1753).

307 **LIMOSELLA** L

- aquatica* L. Sp Pl 631 (1753).

308 MELAMPYRUM.

- cristatum* L. Sp. Pl. 605 (1753).
- arvense* L. Sp. Pl. 605 (1753).
- pratense* L. Sp. Pl. 605 (1753).
- sylvaticum* L. Sp. Pl. 605 (1753).

309 MIMULUS L.

- Langsdorffii* Donn ex Sims Bot. Mag. t. 1501 (1812).
- I II *luteus* L

310 PEDICULARIS L.

- palustris* L. Sp. Pl. 607 (1753).
- sylvatica* L. Sp. Pl. 607 (1753)

311 RHINANTHUS L

- Crista-galli* L. Sp. Pl. 603 (1753)
- major* Ehrhart Beitr. vi. 144 (1791).
- I II under *Crista-galli*

312 BARTSIA L

- alpina* L. Sp. Pl. 602 (1753)

313 LASIOPERA Hoffm & Link

- viscosa* Hoffmannsegg & Link Fl Portug. 1 301 (1809)
- I II *Bartia viscosa* L
- III *Eufragia viscosa* Benth

314 EUPHRASIA L (See Preface)

- officinalis* L. Sp. Pl. 604 (1753)
- salisburgensis* Funck in Hoppe Bot. Faschenb 1794, 190

315 ODONTITES Haller

- rubra* Gilbert Fl Lithuan 1 126 (1781).
- I II *Bartia Odontitis* Huels

316 SIBTHORPIA L.

- europaea* L. Sp. Pl. 631 (1753)

317 VERONICA L.

- 1 *scutellata* L. Sp. Pl. 12 (1753)
- 2 *Anagallis-aquatica* L. Sp. Pl. 12 (1753).
- I II III *Anagallis*.
- 3 *Beccabunga* L. Sp. Pl. 12 (1753)
- 4 *Chamaedrys* L. Sp. Pl. 13 (1753).
- 5 *montana* L. Cent. Plant. 1 3 (1755)
- 6 *officinalis* L. Sp. Pl. 11 (1753)
- 7 *spicata* L. Sp. Pl. 10 (1753).
- 8 *fruticans* Jacquin Enum. Sturp. Vindob. 2 (1762).

9 *alpina* L. Sp. Pl. 11 (1753).

10 *serpyllifolia* L. Sp. Pl. 12 (1753).

11 *arvensis* L. Sp. Pl. 13 (1753).

12 *verna* L. Sp. Pl. 14 (1753).

13 *triphyllos* L. Sp. Pl. 14 (1753)

14 *agrestis* L. Sp. Pl. 13 (1753)

15 *didyma* Tenore Prodr. Fl. Nap. vi. (1811).

I II under *agrestis* as
polita Fries.

16 *Buxbaumii* Tenore Fl. Napolit. 1 7 (1811-15).

III *Tournefortii* C. Gmel

17 *hederifolia* L. Sp. Pl. 13 (1753)

LVI. LABIATÆ

318 MENTHA L

- 1 *spicata* L. Sp. Pl. 576 (1753)
- Hudson Fl. Angl. 221 (1762).

I II *viridis* L

2 *rotundifolia* Hudson l.c

3 *longifolia* Hudson l.c

I II *sylvestris* L

4 *alopecuroides* Hull Brit. Flora, 126 (1799)

II under *sylvestris*

5 *piperita* L. Sp. Pl. 576 (1753)

6 *aquatica* L. Sp. Pl. 576 (1753)

7 *pubescens* Willdenow Enum. Hort. Berol. 608 (1809).

I II under *aquatica*

8 *gentilis* L. Sp. Pl. 577 (1753)

I II III *sativa* L

9 *arvensis* L. Sp. Pl. 577 (1753)

10 *Pulegium* L. Sp. Pl. 577 (1753).

319 LYCOPUS L

- europaeus* L. Sp. Pl. 21 (1753)

320 SALVIA L

- Verbenaca* L. Sp. Pl. 25 (1753)
- verticillata* L. Sp. Pl. 26 (1753)
- pratensis* L. Sp. Pl. 25 (1753)

321 ORIGANUM L.

- vulgare* L. Sp. Pl. 590 (1753).

322 THYMUS L.

- Serpyllum* L. Sp. Pl. 590 (1753)
- Chamaedrys* Fries Novit. Fl. Suec. 35 (1814).
- I II under *Serpyllum*.

323 CLINOPODIUM L.

Calamintha O. Kuntze Rev. Gen. 515 (1891).

I II *Cal. officinalis* Moench.

Nepeta O. Kuntze Rev. Gen. 515 (1891).

I II under *Calamintha officinalis* as *C. Nepeta* Clairv

grandiflorum O. Kuntze Rev. Gen. 551 (1891)

I II under *Calamintha officinalis* as *C. sylvatica* Bromf

Acinos O. Kuntze Rev. Gen. 513 (1891).

I II *Calamintha Acinos* Clairv

vulgare L. Sp. Pl. 587 (1753)

I II *Cal. Clinopodium* Benth

324 MELISSA L.

officinalis L. Sp. Pl. 592 (1753)

325 SCUTELLARIA L.

galericulata L. Sp. Pl. 599 (1753)

minor Hudson Fl. Angl. 233 (1762)

326 PRUNELLA L.

vulgaris L. Sp. Pl. 600 (1753)

laciniata L. Sp. Pl. ed. 2, 837 (1763)

I II III not included

327 NEPETA L.

Cataria L. Sp. Pl. 570 (1753)

hederacea Trevisan Fl. Egan. 26 (1842)

I II III *N. Glechoma* Benth

328 MELITTIS L.

Melissophyllum L. Sp. Pl. 597 (1753)

329 LAMIUM L.

amplexicaule L. Sp. Pl. 579 (1753)

moluccellifolium Fries Nov. Fl. Suec. 72 (1819)

I under *amplexicaule* as *intermedium* Fr

II III *intermedium* Fries

purpureum L. Sp. Pl. 579 (1753)

hybridum Villars Hist. Pl. Dauph. 1. 251 (1786).

I II under *purpureum* (I as *incisum* Willd.)

album L. Sp. Pl. 579 (1753).

Galeobdolon Crantz Stirp. Austr. ed. 2, 262 (1769)

330 GALEOPSIS L.

dubia Leers Fl. Herborn. 133 (1775)

I *ochroleuca* Lam.

Ladanum L. Sp. Pl. 579 (1753).

Tetrahit L. Sp. Pl. 579 (1753).

speciosa Miller Gard. Dict. ed. 8, n. 3 (1768)

I II under *Tetrahit* (I as *versicolor* Curt.)

331 STACHYS L.

officinalis Franchet Fl. Loire-et-Cher, 483 (1885).

I II III *Belonica* Benth.

germanica L. Sp. Pl. 581 (1753).

alpina L. Sp. Pl. 581 (1753)

I II not included.

sylvatica L. Sp. Pl. 580 (1753)

palustris L. Sp. Pl. 580 (1753)

arvensis L. Sp. Pl. ed. 2, 814 (1763).

332 BALLOTA L.

nigra L. Sp. Pl. 582 (1753)

ruderalis Swartz Svensk Bot. t. 389 (1809)

I II under *nigra*.

333 MARRUBIUM L.

vulgare L. Sp. Pl. 583 (1753)

334 TEUCRIUM L.

Scorodonia L. Sp. Pl. 564 (1753).

Scordium L. Sp. Pl. 565 (1753).

Chamaedrys L. Sp. Pl. 565 (1753)

Botrys L. Sp. Pl. 562 (1753)

335 AJUGA L.

reptans L. Sp. Pl. 561 (1753).

pyramidalis L. Sp. Pl. 571 (1753).

I II under *genevensis* L.

Chamaepitys Schreber Pl. Vert. coll. Unilab. XIII (1773)

LVII. VERBENACEÆ**336 VERBENA L.**

officinalis L. Sp. Pl. 20 (1753)

LVIII. PLUMBAGINACEÆ**337 LIMONIUM Mill.**

vulgare Miller Dict. ed. 8, n. (1768).

I II *Statice Limonium* L.

337 LIMONIUM—continued.

humile Miller Dict. ed 8, n 4 (1768)

I II under *S. Limonium* as *S. variflora* Drejer

recurvum C. E. Salmon in Journ Bot. xli 67 (1903).

I II under *S. auriculatifolia* Vahl as *S. Dodartii* Gir

binervosum C. E. Salmon in Journ Bot. xlv 24 (1907)

I II *S. auriculatifolia* Vahl

III *L. occidentale* O Kuntze

reticulatum Miller Dict ed 8, n. 9 (1768)

I *S. reticulata* L.

II *S. bellidifolia* Gouan

338 STATICE L.

Armeria L. Sp Pl 274 (1753)

I II *Armeria vulgaris* W

III *S. maritima* Mill

LIX PLANTAGINACEÆ

339 PLANTAGO L

Coronopus L Sp Pl 115 (1753)

maritima L Sp. Pl 114 (1753)

lanceolata L Sp Pl 113 (1753)

media L Sp Pl. 113 (1753).

major L Sp Pl. 112 (1753)

340 LITTORELLA Berg

uniflora Ascherson Fl Blandenb 544 (1864)

I II *lacustris* L

III *junccea* Berg

LX ILLECEBRACEÆ

341 CORRIGIOLA L

littoralis L. Sp Pl 271 (1753)

342 HERNIARIA L.

glabra L Sp. Pl 218 (1753)

ciliata Babington in Trans Linn Soc xvii. 453 (1836).

I II under *glabra*

343 ILLECEBRUM L.

verticillatum L Sp Pl 206 (1753)

LXI. CHENOPODIACEÆ

344 SUAEDA Forsk

fruticosa Forskål Fl. Egypt.-Arab 70 (1775)

maritima Dumortier Prodr. Fl Belg. 22 (1827)

III *L. maritima* O. Kuntze

345 SALSOLA L

Kali L. Sp Pl 222 (1753)

346 CHENOPODIUM L

1 *Vulvaria* L Sp Pl 220 (1753)

2 *polyspermum* L Sp Pl. 220 (1753)

3 *urbicum* L Sp Pl 218 (1753)

4 *album* L Sp Pl 219 (1753).

5 *serotinum* L. Cent Pl II 12 (1756)

I under *album* as *ficusfolium* Sm

II III *ficusfolium*

6 *murale* L Sp. Pl 219 (1753)

7 *hybridum* L Sp Pl 219 (1753)

8 *rubrum* L Sp Pl 218 (1753)

9 *botryodes* Smith Eng Bot t 2247 (1811)

I II under *rubrum*

10 *glaucum* L Sp Pl 220 (1753)

11 *Bonus-Henricus* L Sp Pl 218 (1753)

347 BETA L.

maritima L. Sp Pl ed 2, 322 (1762)

348 SALICORNIA L

europaea L Sp Pl 3 (1753)

I II III *herbacea* L

radicans Smith Eng Bot t 1691 (1807)

349 ATRIPLEX L

1 *littoralis* L Sp Pl 1054 (1753)

I under *patula*

2 *patula* L Sp Pl. 1053 (1753)

III *angustifolia* Sm

3 *deltoidea* Babington Prim Fl Sarn 82 (1839)

I II include 3-5 under *patula*

4 *hastata* L Sp Pl 1053 (1753)

5 *Babingtonii* Woods Tourist's Fl 316 (1850)

6 *laciniata* L Sp Pl 1053 (1753)

I *rosea* L

350 OBIONE Gaertn

pedunculata Moquin Chenopod 75 (1840)

I II *Atriplex pedunculata* L

portulacoides Moquin l.c.

I II *A. portulacoides* L

LXII POLYGONACEÆ

351 RUMEX L.

- 1 *maritimus* L. Sp. Pl. 335 (1753).
- 2 *limosus* Thuill. Fl. Paris, ed. 2, 182 (1799)
I II under *maritimus* as *palustris* Sm
- 3 *conglomeratus* Murray Prodr. Stirp. Gotting. 52 (1770)
- 4 *rupestris* Le Gall in Congr. Scient. France XVI sess. 1 143 (1850)
I II under *conglomeratus*

- 5 *sanguineus* L. Sp. Pl. 334 (1753)
- 6 *pulcher* L. Sp. Pl. 336 (1753)
- 7 *obtusifolius* L. Sp. Pl. 335 (1753)
- 8 *crispus* L. Sp. Pl. 335 (1753)
- 9 *acutus* L. Sp. Pl. 335 (1753)
I under *crispus*
- 10 *aquaticus* L. Sp. Pl. 336 (1753)
- 11 *Hydrolapathum* Hudson Fl. Angl. ed. 2, 154
- 12 *maximus* Schreber in Schweigg. & Korte Fl. Erlang. 152 (1811)
I II under *Hydrolapathum*
- 13 *alpinus* L. Sp. Pl. 334 (1753)
- 14 *Acetosa* L. Sp. Pl. 337 (1753)
- 15 *Acetosella* L. Sp. Pl. 338 (1753)
- 16 *scutellatus* L. Sp. Pl. 337 (1753)

352 OXYRIA Hill

- digyna* Hill Hort. Kew. 158 (1769)
I *uniformis* Hook.

353 POLYGONUM L.

- 1 *Bistorta* L. Sp. Pl. 360 (1753)
- 2 *viviparum* L. Sp. Pl. 360 (1753)
- 3 *amphibium* L. Sp. Pl. 361 (1753)
- 4 *lapathifolium* L. Sp. Pl. 360 (1753)
- 5 *maculatum* Babington Man. ed. 7, 301 (1874)
II under *lapathifolium*
- 6 *Persicaria* L. Sp. Pl. 361 (1753)
- 7 *Hydropiper* L. Sp. Pl. 361 (1753).
- 8 *minus* Hudson Fl. Angl. 148 (1762)
- 9 *mitis* Schrank Baiersche Fl. 1 668 (1789)
I under *minus*

- 10 *aviculare* L. Sp. Pl. 362 (1753)

- 11 *Roberti* Loiseleur Nouv. Not. 17 (1827).

- I under *maritimum*,
- II under *aviculare*,
- III *Rau* Bab.

- 12 *maritimum* L. Sp. Pl. 361 (1753).
- 13 *Convolvulus* L. Sp. Pl. 364 (1753).
- 14 *dumetorum* L. Sp. Pl. ed. 2, 522 (1762)

LXIII ELÆAGNACEÆ

354 HIPPOPHAE L.

- Rhamnoides* L. Sp. Pl. 1023 (1753).

LXIV THYMELÆACEÆ

355 DAPHNE L.

- Mezereum* L. Sp. Pl. 356 (1753).
Laureola L. Sp. Pl. 357 (1753).

LXV SANTALACEÆ

356 THESIUM L.

- humifusum* DC. Fl. France, v (1815)
I II *linophyllum* L.

LXVI ARISTOLOCHACEÆ

357 ASARUM L.

- europaeum* L. Sp. Pl. 442 (1753)

LXVII EMPETRACEÆ

358 EMPETRUM L.

- nigrum* L. Sp. Pl. 1022 (1753)

LXVIII EUPHORBIACEÆ

359 BUXUS L.

- sempervirens* L. Sp. Pl. 983 (1753)

360 EUPHORBIA L.

- 1 *Pepus* L. Sp. Pl. 455 (1753)
- 2 *Helioscopia* L. Sp. Pl. 459 (1753)
- 3 *platyphyllos* L. Sp. Pl. 460 (1753)
- 4 *stricta* L. Syst. ed. 10, 10 (1759)
I II under *platyphyllos*
- 5 *dulcis* L. Sp. Pl. 457 (1753).

360 EUPHORBIA—continued

- 6 *hiberna* L. Sp. Pl. 462 (1753).
- 7 *pilosa* L. Sp. Pl. 460 (1753)
- 8 *amygdaloides* L. Sp. Pl. 463 (1753).
- 9 *Esula* L. Sp. Pl. 461 (1753)
- 10 *Paralias* L. Sp. Pl. 458 (1753).
- 11 *portlandica* L. Sp. Pl. 458 (1753)
 - I *segetalis* L.
- 12 *Peplus* L. Sp. Pl. 456 (1753)
- 13 *exigua* L. Sp. Pl. 456 (1753)
- 14 *Lathyrus* L. Sp. Pl. 457 (1753)
 - I II *Lathyrus*

361 MERCURIALIS L

- perennis* L. Sp. Pl. 1035 (1753)
- annua* L. Sp. Pl. 1035 (1753)

LXIX CERATOPHYLLACEÆ

362 CERATOPHYLLUM L

- demersum* L. Sp. Pl. 992 (1753)
- submersum* L. Sp. Pl. ed 2, 1409 (1763)
 - I II under *demersum*

LXX. CALLITRICHACEÆ

363 CALLITRICHE L.

- 1 *palustris* L. Sp. Pl. 969 (1753)
 - I *aquatica* Sm. includes all,
 - II *verna* L. which includes 2-5,
 - III *vernalis* Koch
- 2 *obtusangula* Le Gall Fl. Moirihan, 202 (1852).
- 3 *polymorpha* Lonnroth Obs. Crit. 19 (1854).
- 4 *stagnalis* Scopoli Fl. Carn. ed. 2, ii. 251 (1772)
- 5 *intermedia* G. F. Hoffmann Deutschl. Fl. (1791), 2
- 6 *autumnalis* L. Fl. Suec. ed 2, 2 (1755)
- 7 *truncata* Gussone Pl. Rar. 4 (1826)
 - II under *autumnalis*

LXXI URTICACEÆ

364 PARIETARIA L.

- ramiflora* Moench Method. 327 (1794).

365 URTICA L.

- pilulifera* L. Sp. Pl. 983 (1753).
- urens* L. Sp. Pl. 984 (1753).
- dioica* L. Sp. Pl. 984 (1753)

366 HUMULUS L

- Lupulus* L. Sp. Pl. 1028 (1753)

LXXII ULMACEÆ

367 ULMUS L

- campestris* L. Sp. Pl. 225 (1753)
- glabra* Hudson Fl. Angl. 95 (1762)
 - I II *montana* Sm

LXXIII AMENTACEÆ

368 SALIX L. (See Preface)

- 1 *triandra* L. Sp. Pl. 1016 (1753)
 - I *amygdalina* L.
- 2 *pentandra* L. Sp. Pl. 1016 (1753)
- 3 *fragilis* L. Sp. Pl. 1017 (1753)
- 4 *alba* L. Sp. Pl. 1021 (1753)
- 5 *cinerea* L. Sp. Pl. 1021 (1753)
 - I II under *caprea*
- 6 *aurita* L. Sp. Pl. 1019 (1753)
- 7 *caprea* L. Sp. Pl. 1020 (1753)
- 8 *repens* L. Sp. Pl. 1020 (1753)
- 9 *phylicifolia* L. Sp. Pl. 1016 (1753)
- 10 *arbuscula* L. Sp. Pl. 1018 (1753)
 - I under *myrsinites*
- 11 *viminialis* L. Sp. Pl. 1021 (1753)
- 12 *lanata* L. Sp. Pl. 1019 (1753)
- 13 *lapponum* L. Sp. Pl. 1019 (1753)
- 14 *myrsinites* L. Sp. Pl. 1018 (1753)
- 15 *herbacea* L. Sp. Pl. 1018 (1753)
- 16 *reticulata* L. Sp. Pl. 1018 (1753)
- 17 *purpurea* L. Sp. Pl. 1017 (1753)

369 POPULUS L

- alba* L. Sp. Pl. 1034 (1753)
- canescens* Smith Fl. Brit. iii. 1080 (1804)
 - I II under *alba*
- tremula* L. Sp. Pl. 1034 (1753)
- nigra* L. Sp. Pl. 1034 (1753)

370 MYRICA L.

- Gale* L. Sp. Pl. 1024 (1753)

371 BETULA L.

alba L. Sp Pl 982 (1753)
verrucosa Ehrhart Beitr vi. 98
 (1791)

I not included, II under *alba*
nana L. Sp Pl. 983 (1753)

372 ALNUS Mill

glutinosa Gaertner Fruct II 54
 (1791)

373 FAGUS L

sylvatica L. Sp Pl 998 (1753)

374 QUERCUS L

Robur L. Sp Pl 996 (1753)

375 CORYLUS L

Avellana L. Sp Pl 998 (1753)

376 CARPINUS L

Betulus L. Sp Pl 998 (1753)

LXXIV. CONIFERÆ

377 TAXUS L

baccata L. Sp Pl 1040 (1753)

378 JUNIPERUS L

communis L. Sp Pl 1040 (1753)
sibirica Burgsdorf Anleit II 124
 (1787)

I II III *nana* Willd
 (I II under *communis*)

379 PINUS L

sylvestris L. Sp Pl 1000 (1753)

LXXV. TYPHACEÆ

380 TYPHA L

latifolia L. Sp Pl 971 (1753)
angustifolia L. Sp Pl 971 (1753)

381 SPARGANIUM L

erectum L. Sp Pl 971 (1753)

I II *ramosum* Huds

neglectum Beeby in Journ Bot
 xxiii. 26 (1885)

I II not included

simplex Hudson Fl Anglica, ed 2,
 401 (1778)

natans L. Sp. Pl 971 (1753)

I under *simplex*

minimum Fries Summ. Veg. Scand.
 560 (1849)

II under *natans*

LXXVI. ARACEÆ

382 ACORUS L.

Calamus L. Sp Pl 324 (1753)

383 ARUM L.

maculatum L. Sp Pl. 966 (1753).
italicum Miller Gard Dict ed 8,
 n 2 (1768)

LXXVII. LEMNACEÆ

384 LEMNA L.

trislula L. Sp Pl 970 (1753)
minor L. Sp Pl 970 (1753)
gibba L. Sp Pl 970 (1753)
polyrrhiza L. Sp Pl 970 (1753)

385 WOLFFIA Horkel

arrhiza Wimmer Fl Schles. ed. 3,
 140 (1857)

I *Lemna arrhiza* L.

III *W. Micheli* Schleid.

LXXVIII. NAIADACEÆ

386 POTAMOGETON L.

1 *natans* L. Sp Pl 126 (1753)
 2 *polygonifolius* Pourret in Mém
 Acad Poulouse, III. 325 (1788).
 I under *natans*

3 *Drucei* Fryer Potamog 31 (1898)
 Journ Bot xxxvii. 524 (1899).
 I II not included

4 *coloratus* Hornemann in Fl Dan.
 IX 4 (1813)

I under *natans* as *plantaginens*,
 II *plantaginens* Du Croz

5 *alpinus* Balbis in Mém Acad
 Turin, XII 329 (1802-3)
 I under *lucens* as *rufescens*,
 II *rufescens* Schrader

6 *lanceolatus* Smith Eng Bot. t. 1935
 (1809)

I under *lucens*

7 *sparganifolius* Laestadius ex
 Fries Mant 1 9 (1832).

I not included, II *Kirkus* Syme

8 *grammeus* L. Sp. Pl. 127 (1753).

I not included,
 II *salicifolius* Wolff.

9 *heterophyllus* Schreber Spic. Fl.
 Lips. 21 (1771)

386 POTAMOGETON—continued.

- 10 *nitens* Weber Supp Fl Holsat
n. 11 (1787).
I not included,
II under *heterophyllus*
- 11 *falcatus* Fryer in Journ Bot xxvii
65 (1889).
I II not included
- 12 *varians* Morong ex Fryer in
Journ Bot xxvii 33 (1889)
I II not included
- 13 *lucens* L Sp Pl 126 (1753)
- 14 *Zizu* Koch ex Roth Enum Pl
Germ 531 (1827)
I not included,
II under *lucens*
- 15 *praelongus* Wulfen in Roem
Archiv, iii 331 (1805)
- 16 *perfoliatus* L Sp Pl 126 (1753)
- 17 *crispus* L Sp Pl 126 (1753)
- 18 *acutifolius* Link ex Roem &
Schult Syst iii 513 (1818)
- 19 *compressus* L Sp Pl 127 (1753)
I under *acutifolius*,
II III *zosterifolius* Schumacher
- 20 *obtusifolius* Mertens & Koch
Deutschl Fl i 855 (1823)
- 21 *pusillus* L Sp Pl 127 (1753)
- 22 *Friesii* Ruprecht Beitr Pfl Russ
iv 43 (1845)
I not included,
II under *pusillus*
- 23 *rutilus* Wolfgang ex Schult
Mant iii 362 (1827)
I II not included
- 24 *trichoides* Chamisso & Schlechten-
dahl in Linnaea, ii 175 (1827)
I under *pustillus*
- 25 *pectinatus* L Sp Pl 127 (1753)
- 26 *flabellatus* Babington Man Bot
ed 3, 343 (1851)
I not included,
II under *pectinatus*
- 27 *filiformis* Persoon Syn i 152
(1805)
I under *pectinatus*
- 28 *densus* L Sp Pl 126 (1753)
- 387 RUPPIA L**
maritima L. Sp. Pl 127 (1753)
rostellata Koch in Reichenb. Plant.
Crit. cent. ii. 66 (1824).
I II under *maritima*

388 ZANNICHELLIA L.

palustris L Sp Pl. 969 (1753)

389 ZOSTERA L.

nana Roth Enum. Pl Germ. i. 8
(1827).

marina L Sp Pl 968 (1753).

390 NAIAS L

marina L Sp Pl 1015 (1753)

flexilis Rostkovius & Schmid Fl.
Sedin 382 (1824)

graminea Delile Fl Egypt 282
(1812)

391 SCHEUCHZERIA L

palustris L Sp Pl. 338 (1753)

392 TRIGLOCHIN L

maritimum L Sp Pl 339 (1753).

palustre L Sp Pl 338 (1753)

LXXIX ALISMACEÆ

393 ALISMA I

Plantago L Sp. Pl 342 (1753)

ranunculoides L Sp Pl 343 (1753).

natans L Sp Pl 343 (1753)

II *Elisma natans* Buchenau

394 DAMASONIUM Hill

Alisma Miller Dict ed 8, n. 1 (1768).

II *stellatum* Pers.

395 SAGITTARIA L

sagittifolia L Sp Pl 993 (1753).

396 BUTOMUS L

umbellatus L Sp Pl 342 (1753)

LXXX HYDROCHARIDEÆ

397 HYDROCHARIS L

Morsus-ranae L. Sp. Pl 1036 (1753)

398 STRATIOTES L.

Aloides L Sp. Pl. 535 (1753).

399 ELODEA Michx

canadensis F A. Michaux Fl. Bor.
Amer i 20 (1803)

III *Anacharis Alismastrum*
Bab

LXXXI. ORCHIDACEÆ

400 ORCHIS L.

- 1 *morio* L. Sp Pl 940 (1753)
- 2 *mascula* L. Fl. Suec. ed 2, 310 (1755).
- 3 *militaris* L. Sp Pl. 941 (1753).
- 4 *simia* Lamarck Fl. France, iii 507 (1778)
I II under *militaris*
- 5 *purpurea* Hudson Fl. Angl. 334 (1762)
I under *militaris*
- 6 *ustulata* L. Sp. Pl 941 (1753)
- 7 *maculata* L. Sp Pl 942 (1753)
- 8 *latifolia* L. Sp. Pl 941 (1753)
- 9 *incarnata* L. Fl. Suec. ed 2, 312 (1755)
I II under *latifolia*
- 10 *pyramidalis* L. Sp Pl 940 (1753)
- 11 *hircina* Crantz Sturp. Austr. ed 2, 485 (1769)

401 GYMNADENIA B.

- conopsea* Brown in Ait. Hort. Kew. ed 2, v 191 (1813)
I II *Habenaria conopsea* Benth
albida L. C. Richard Orchid. Europ. 35 (1817)
I II *H. albida* Br.

402 ACERAS Br.

- anthropophora* Brown in Ait. Hort. Kew. ed 2, v 191 (1813)

403 NEOTINEA Reichenb.

- intacta* H. G. Reichenbach Poll. Orchid. 18 (1852)
I II *Hab. intacta* Benth

404 HABENARIA Willd.

- viridis* Brown in Ait. Hort. Kew. ed 2, v 192 (1813)
bifolia Brown in Ait. Hort. Kew. ed 2, v 193 (1813)
montana Durand & Schinz. Consp. Fl. Afr. v 82 (1892).
I II under *bifolia* as *chlorantha* Bab. III *chloroleuca* Ridl.

405 OPHRYS L.

- apifera* Hudson Fl. Anglica, 340 (1762).
arachnites Lamarck Fl. France, iii. 515 (1778).
I II under *apifera*.

aranifera Hudson Fl. Angl. ed. 2, 392 (1778).

muscifera Hudson Fl. Anglica, 340 (1762).

406 HERMINIUM Br.

Monorchus Brown in Ait. Hort. Kew. ed. 2, v 191 (1813)

407 GOODYERA Br.

repens Brown in Ait. Hort. Kew. ed. 2, v. 198 (1813).
III *Peramium repens* Salisb.

408 SPIRANTHES Rich.

spiralis C. Koch in Linnaea, xxii. 290 (1849)
I II III *autumnalis* Rich.
aestivalis L. C. Richard Orchid. Europ. 36 (1817)
Romanzoffiana Chamisso in Linnaea, iii 32 (1828)

409 LISTERA Br.

ovata Brown in Ait. Hort. Kew. ed 2, v 201 (1813)
cordata Brown in Ait. Hort. Kew. ed 2, v 201 (1813)

410 NEOTTIA Adans.

Nidus-avis L. C. Richard Orchid. Europ. 37 (1817)

411 EPIPACTIS Adans.

- 1 *Helleborine* Crantz Sturp. Austr. ed 2, 467 (1769)
I II III *latifolia* All.
I II include 2-4
- 2 *media* Fries Mant. ii 54 (1839)
- 3 *violacea* Boreau Fl. Centr. France, ed. 3, ii 651 (1857)
- 4 *atrorubens* J. A. Schultes Oesterr. Fl. ed 2, i. 58 (1814).
- 5 *longifolia* Allioni Fl. Pedemont. ii 152 (1785)
I II III *palustris* Crantz

412 CEPHALANTHERA Rich.

grandiflora S. F. Gray Nat. Arr. Brit. Pl. ii 210 (1821).
I II III *pallens* Rich.
longifolia Fritsch in Oesterr. Bot. Zeitschr. xxxviii. 81 (1888).
I II III *ensifolia* Rich.
rubra L. C. Richard Orch. Europ. 38 (1817).

413 **EPIPOGUM** S. G. Gmel.
aphyllum Swartz Summ Veg
Scand. 32 (1814).

414 **CORALLORRHIZA** Hall
Neottia Scopoli Fl. Carn. ed 2, 11
207 (1772)
I II III *innata* Br

415 **MALAXIS** Sw
paludosa Swartz in Vet. Akad
Nya Handl xvi 235 (1800)

416 **LIPARIS** Rich.
Loeselii L. C. Richard Orchid
Europ. 38 (1817)

417 **CYPRIPEDIUM** L
Calceolus L. Sp. Pl. 951 (1753)

LXXXII IRIDACEÆ

418 **SISYRINCHIUM** L
angustifolium Miller Dict. ed 8,
n 2 (1768)
californicum Aiton Hort. Kew. ed
2, iv 135 (1812)

419 **IRIS** L.
Pseudacorus L. Sp. Pl. 38 (1753)
foetidissima L. Sp. Pl. 39 (1753)

420 **GLADIOLUS** L
illyricus Koch Syn. 698 (1838)
I II under *communis* L.

421 **ROMULEA** L
Columnae Sebastiani & Mauri Fl.
Roman. Prodi. 18 (1818)

422 **CROCUS** L.
officinalis Hudson Fl. Angl. ed 2,
13 (1778)
I II III *vernus* All
nudiflorus Smith Engl. Bot. t. 491
(1798)

LXXXIII AMARYLLIDACEÆ

423 **NARCISSUS** L
biflorus Curtis Bot. Mag. t. 197
(1792)
Pseudonarcissus L. Sp. Pl. 289
(1753).

424 **LEUCOJUM** L.
aestivum L. Syst. ed. 10, 975 (1759).
I C. Pl. 280 (1752)

425 **GALANTHUS** L.
nivalis L. Sp. Pl. 288 (1753).

LXXXIV DIOSCOREACEÆ

426 **TAMUS** L
communis L. Sp. Pl. 1028 (1753).

LXXXV LILIACEÆ

427 **PARIS** L
quadrifolia L. Sp. Pl. 367 (1753)

428 **ASPARAGUS** L
officinalis L. Sp. Pl. 313 (1753)

429 **CONVALLARIA** L
majalis L. Sp. Pl. 314 (1753)

430 **POLYGONATUM** Mill
verticillatum Allioni Fl. Pedem. 1
131 (1785)
officinale Allioni l c
multiflorum Allioni l c

431 **MAIANTHEMUM** Weber
bifolium DC. Fl. France, iii 177
(1805)
I II III *M. Convallaria* Web.

432 **RUSCUS** L
aculeatus L. Sp. Pl. 1041 (1753)

433 **TULIPA** L
sylvestris L. Sp. Pl. 305 (1753)

434 **FRITILLARIA** L
Meleagris L. Sp. Pl. 304 (1753)

435 **LILIUM** L
Martagon L. Sp. Pl. 303 (1753)

436 **LLOYDIA** Salisb.
serotina H. G. L. Reichenbach Fl.
Excurs. 102 (1830)
III *alpina* Salisb.

437 **ORNITHOGALUM** L
umbellatum L. Sp. Pl. 307 (1753)
pyrenaicum L. Sp. Pl. 306 (1753)
nutans L. Sp. Pl. 308 (1753)

438 **GAGEA** Salisb.
lutea Gawler in Bot. Mag. t. 1200
(1809)
III *fascicularis* Salisb.

- 439 **SCILLA** L.
autumnalis L Sp Pl 309 (1753).
verna Hudson Fl Anglica, ed 2
 142 (1778)

- 440 **ALLIUM** L
 1 *Ampeloprasum* L Sp Pl 294
 (1753)
 2 *Babingtonii* Borrer in Engl Bot
 Suppl t 2906 (1845)
 I II under *Ampeloprasum*
 3 *Scorodoprasum* L Sp Pl 297
 (1753)
 4 *vineale* L Sp Pl 299 (1753)
 5 *sphaerocephalum* L Sp Pl 297
 (1753)
 6 *oleraceum* L Sp Pl 299 (1753)
 7 *carinatum* L Sp Pl 297 (1753)
 8 *Schoenoprasum* L Sp Pl 301
 (1753)
 9 *triquetrum* L Sp Pl 300 (1753)
 10 *ursinum* L Sp Pl 300 (1753)

- 441 **SIMETHIS** Kunth
planifolia Grenier & Godron Fl
 France, III 222 (1855)
 I II *bicolor* Kunth,
 III *Pubilaria bicolor* Raf

- 442 **ENDYMION** Dumort
non-scriptum Garcke Fl Deutschl
 322 (1849)
 I II *Scilla nutans* Sm
 III *nutans* Dumort

- 443 **MUSCARI** Mill
racemosum Miller Gard Dict ed
 8, n 3 (1768)

- 444 **COLCHICUM** L
autumnale L Sp Pl 341 (1753)

- 445 **TOFIELDIA** Huds
palustris Hudson Fl Anglica, ed
 2, 175 (1778)

- 446 **NARTHECIUM** Huds
ossifragum Hudson Fl Anglica,
 128 (1762)

LXXXVI JUNCACEÆ

- 447 **JUNCUS** L.
 1 *maritimus* Lamarck Encycl III
 264 (1789)
 2 *acutus* L. Sp Pl 325 (1753)

- 3 *effusus* L. Sp. Pl 326 (1753).
 I under *communis* Mey

- 4 *conglomeratus* L Sp Pl 326
 (1753)
 I under *communis*,
 II under *effusus*

- 5 *inflexus* L Sp Pl 326 (1753)
 I II *glaucus* Ehrh

- 6 *balticus* Willdenow in Berl Mag
 III 298 (1809)

- 7 *filiformis* L Sp Pl 326 (1753)

- 8 *castaneus* Smith Fl Brit I 383
 (1800)

- 9 *biglumis* L Sp Pl 328 (1753)

- 10 *triglumis* L Sp Pl 328 (1753)
 I under *biglumis*.

- 11 *trifidus* L Sp Pl 326 (1753).

- 12 *capitatus* Weigel Obs Bot 28
 (1772)

- 13 *obtusiflorus* Ehlhart ex G F
 Hoffm Deutschl Fl 1791, 125

- 14 *articulatus* L Sp Pl 327 (1753)

- 15 *acutiflorus* Ehlhart ex G. F
 Hoffm Deutschl Fl 1791, 125
 I II under *articulatus*

- 16 *alpinus* Villars Hist Pl Dauph
 II 233 (1787)
 I II not included.

- 17 *nigritellus* D Don in Engl Bot
 Suppl t 2643 (1830)
 I not included,
 II under *articulatus*

- 18 *bulbosus* L Sp Pl 327 (1753)
 I II under *articulatus* as
supinus Moench

- 19 *squarrosus* L Sp Pl 327 (1753).

- 20 *compressus* Jacquin Enum Stirp
 Vindob 60 (1762)

- 21 *Gerardi* Loiseleur in Journ de
 Bot II 284 (1809)
 I II under *compressus*.

- 22 *tenuis* Willdenow Sp Pl II 214
 (1799)

- 23 *bufonius* L Sp Pl 328 (1753)

- 24 *mutabilis* Lamarck Encycl III
 270 (1789)
 I II III *pygmaeus* Richard

448 LUZULA DC

- sylvatica* Gaudin Agrost. Helvet.
 II 240 (1811).

- II *maxima* DC

- III *juncoides sylvaticum* O.
 Kuntze

448 LUZULA—continued.

pilosa Willdenow Enum. Hort
Berol. 393 (1809)

III *J. pilosum* O K

Forsteri DC Syn Pl. Fl Gall
150 (1806)

I under *pilosa*,

III *J. Forsteri* O K

campestris DC. Fl France, III 161
(1805)

III *J. campestre* O K

multiflora Lejeune Fl Spa, I 169
(1811)

I II under *campestris*,

III *J. multiflorum* Druce

spicata DC. Fl France, III 161
(1805)

III *J. spicatum* O K

arcuata Wahlenberg Fl Succ 218
(1824)

III *J. arcuatum* O K

LXXXVII ERIOCAULACEÆ

449 ERIOCAULON L.

articulatum Morong in Bull Torr
Bot Club, xviii 353 (1891)

I II III *septangulare* With

LXXXVIII CYPERACEÆ

450 CYPERUS L

longus L Sp Pl 45 (1753)

fuscus L Sp. Pl 46 (1753)

451 SCHOENUS L

nigricans L Sp Pl 43 (1753)

ferrugineus L Sp Pl 43 (1753)

I not included

452 CLADIUM P Br

Mariscus Brown Prodr 236 (1810)

III *jamaicense* Crantz

453 RYNCHOSPORA Vahl

alba Vahl Enum II 236 (1806)

fusca Aiton Hort Kew ed 2, I
227 (1810).

454 ELEOCHARIS Br

palustris Roemer & Schultes Syst
II. 151 (1817).

uniglumis Schultes Mant. II. 88
(1824)

I *S. uniglumis* under *S. palustris*

II under *palustris*

multicaulis Smith Engl. Fl I 64
(1824)

I *S. multicaulis* Sm

acicularis Roemer & Schultes
Syst II 154 (1817)

I *S. acicularis* L

455 SCIRPUS L

I *maritimus* L Sp Pl 51 (1753)

2 *sylvaticus* L Sp Pl 51 (1753)

3 *triqueter* L Mant I 29 (1767).

4 *carinatus* Smith Engl. Bot t
1983 (1809).

I II under *lacustris*

5 *lacustris* L Sp Pl 48 (1753)

6 *Tabernaemontani* Gmelin Fl
Bad I 101 (1805)

I II under *lacustris*

7 *caespitosus* L Sp Pl 48 (1753)

8 *pauciflorus* Lightfoot Fl Scot
1078 (1777)

9 *nanus* Sprengel Pugill 4 (1813)

I II III *parvulus* R & S

10 *fluitans* L Sp Pl 48 (1753).

11 *setaceus* L Sp Pl 49 (1753)

12 *filiformis* Savt Fl Pisan I 46
(1798)

I II *Savt* S & M

III *cernuus* Vahl

13 *Holoschoenus* L Sp Pl 49
(1753)

456 BLYSMUS Panz

compressus Panzer ex Link Hort
Berol I 278 (1827)

II *Scirpus caricis* Retz

rufus Link Hort Berol I 278
(1827)

II *S. rufus* Wahlenb

457 ERIOPHORUM L

vaginatum L. Sp. Pl 52 (1753)

polystachion L. Sp. Pl 52 (1753)

paniculatum Druce in Ann. Scott.
Nat. Hist 1906, 227.

I II under *polystachion* a
latifolium,

III *latifolium* Hoppe

gracile Roth Catalecta, II [259],
addend (1800).

I under *polystachion*.

458 KOBRESIA Willd.

- bipartita* Dalla Torre Anleit.
Alpenfl 216 (1882)
I II III *caricina* Willd

459 CAREX L.

- 1 *dioica* L Sp Pl 972 (1753)
- 2 *pulicaris* L Sp. Pl 972 (1753)
- 3 *rupestris* Bellard in All Fl
Pedem II 264 (1785)
- 4 *pauciflora* Lightfoot Fl Scotica,
543 (1777)
- 5 *arenaria* L Sp Pl 973 (1753)
- 6 *disticha* Hudson Fl Anglica, 347
(1762)
I under *arenaria* as *intermedia*
- 7 *incurva* Lightfoot Fl Scotica,
544 (1777)
- 8 *chordorrhiza* Linn fil Suppl 414
(1781)
I II not included
- 9 *divisa* Hudson Fl Anglica, 348
(1762)
- 10 *vulpina* L Sp Pl 973 (1753)
- 11 *muricata* L Sp Pl 974 (1753)
- 12 *divulsa* Stokes in With Bot
Arr ed 2, 1035 (1787)
I II under *muricata*
- 13 *paniculata* L Cent Pl I 32
(1755)
- 14 *diandra* Schrank Cent Bot
Anmerk 57 [49] 1781
I under *paniculata*,
II III *teretiuscula* Good
- 15 *paradoxa* Willdenow in Mém
Acad Berlin, 1794-5, 39 (1799)
I II under *paniculata*
- 16 *remota* L. Cent Pl I 31 (1755)
- 17 *Boenninghausiana* Weihe in
Flora, IX 743 (1826)
I under *axillaris*,
II under *remota*
- 18 *axillaris* Goodenough in Trans
Linn. Soc II 151 (1794)
II under *remota*
- 19 *echinata* Murray Prodr Sturp
Gott 76 (1770)
- 20 *elongata* L. Sp. Pl 974 (1753)
- 21 *canescens* L Sp. Pl 974 (1753)
- 22 *vitilis* Fries Mant III 137 (1842).
I II under *canescens* as *alpicola*
Wahl.

- 23 *Lachenalii* Schkuhr Riedgr I.
51 (1801)
I II III *lagopina* Wahl.
- 24 *leporina* L. Sp Pl 973 (1753)
- 25 *elata* Allioni Fl Pedem II. 272
(1785)
I under *caespitosa* L. as *stricta*,
II *stricta* Good.
- 26 *acuta* L Sp Pl 978 (1753)
- 27 *rigida* Goodenough in Trans
Linn Soc II 193 (1794)
I under *caespitosa*
- 28 *aquatilis* Wahlenberg in Vet
Acad Nya Handl Stockh. XXIV
165 (1803)
I under *caespitosa*
- 29 *salina* Wahlenberg in Vet Acad
Nya Handl Stockh XXIV. 165
(1803)
I II not included
- 30 *Goodenowii* Gay in Ann Sci
Nat sér 2 XI 191 (1839)
I under *caespitosa*
- 31 *trinervis* Degland in Loisel. Fl.
Gall 731 (1807)
I under *caespitosa*
- 32 *Halleri* Gunnerus Fl Norveg II
106 (1772)
I II III *alpina* Sw
- 33 *fusca* Allioni Fl Pedem II 269
(1785)
I II *Buxbaumii* Wahlenb.
- 34 *atrata* L Sp Pl 976 (1753)
- 35 *pallescent* L Sp Pl 977 (1753)
- 36 *panicea* L. Sp Pl 977 (1753).
- 37 *vaginata* Tausch in Flora, IV
557 (1821)
I under *panicea*
- 38 *limosa* L Sp Pl 977 (1753).
- 39 *magellanica* Lamarck Encycl. III.
385 (1789)
I II under *limosa* as *irrigua*
Hoppe
- 40 *rariflora* Smith Engl Bot t.
2516 (1813)
I under *limosa*
- 41 *capillaris* L Sp Pl 977 (1753).
- 42 *strigosa* Hudson Fl. Anglica, ed.
2, 411 (1778).
- 43 *pendula* Hudson Fl Anglica, 352
(1762)
- 44 *humilis* Leysser Fl. Hal. 175
(1761)

459 CAREX—*continued*.

- 45 *digitata* L. Sp Pl 975 (1753)
 46 *ornithopoda* Willdenow Sp Pl
 iv 255 (1805)
 I under *digitata*
 47 *ericetorum* Pollich Hist Pl Pa-
 lat II 580 (1777)
 I under *digitata*
 48 *caryophyllaea* Latourietie Chlor
 Lugd 27 (1785)
 I II *præcox* Jacq ,
 III *verna* Chaix
 49 *montana* L. Sp Pl 975 (1753)
 50 *pilulifera* L. Sp Pl 976 (1753)
 51 *tomentosa* L. Mant 123 (1767)
 52 *fiacca* Schreber Spic Fl Lips
 App. no 669 (1771)
 I II *glauca* Murr
 53 *atrofusca* Schkuhr Riedgr I 106
 (1801)
 I under *atrata* as *ustulata*,
 II *ustulata* Wahl
 54 *Sadleri* E F Linton in Journ
 Bot xxxvi 43 (1898)
 I under *panicea* as *frigida*,
 II *frigida* All
 55 *flava* L. Sp Pl 975 (1753)
 56 *Oederi* Retzius Fl Scand Prodr
 179 (1779)
 I II under *flava*
 57 *extensa* Goodenough in Trans
 Linn Soc II 175 (1794)
 58 *punctata* Gaudin Agrost Helvet
 II 152 (1811)
 59 *distans* L. Syst ed 10 1263 (1759)
 60 *binervis* Smith in Trans Linn
 Soc v 268 (1800)
 I under *distans*
 61 *Hornschuchiana* Hoppe in Flora,
 VII 595 (1824)
 I II under *distans* as *fulva* Good
 62 *helodes* Link in Schrad Journ
 Bot II 309 (1799)
 I under *distans*,
 II III *laevigata* Sm
 63 *depauperata* Curtis ex Withering
 Bot Arr ed 2 1049 (1787)
 I under *distans*
 64 *sylvatica* Hudson Fl Anglica,
 353 (1762).
 65 *Pseudocyperus* L. Sp Pl 978
 (1753).

- 67 *hirta* L. Sp. Pl 975 (1753)
 68 *vesicaria* L. Sp Pl 979 (1753)
 69 *pulla* Goodenough in Trans Linn
 Soc III 78 (1797)
 I II under *vesicaria* as *saxatilis* L
 70 *Grahami* Boott in Proc Linn
 Soc I 180 (1844)
 I under *vesicaria* as *saxatilis*,
 II under *vesicaria*
 71 *rostrata* Stokes in With Air ed
 2, 1059 (1787)
 I II *ampullacea* Good
 72 *acutiformis* Ehrhart Beitr IV 43
 (1789)
 I II under *paludosa* Good
 73 *riparia* Curtis Fl Lond fasc IV
 t 281 (1783)
 I under *paludosa*

LXXXIX GRAMINEÆ

- 460 **DIGITARIA** Adans
linearis Crépín Fl Belg ed 2, 335
 (1866)
 I II *Panicum glabrum* Gaud
 III *humifusa* Pers
 461 **SETARIA** Beauv
viridis Beauvois Agrost Atlas 9
 (1812)
 I *Panicum viride* L.
 462 **CYNODON** Rich
Dactylon Persoon Syn I 85 (1805)
 III *Capriola Dactylon* O K
 463 **SPARTINA** Schreb
stricta Roth Neue Beytr 101 (1802)
 Townsendi H & J Groves in
 Journ Bot XX I (1882)
 I II under *stricta*
alterniflora Loiseleur Fl Gall 719
 (1807)
 I II under *stricta*
 464 **MIBORA** Adans
minima Desvaux Obs Pl Angers,
 45 (1818)
 I II III *verna* Beauv.
 465 **PHALARIS** L.
arundinacea L. Sp. Pl. 55 (1753)
 I II *arundinacea* Trin

- 466 ANTHOXANTHUM L.**
odoratum L. Sp Pl 28 (1753)
Puelii Lecoq & Lamotte Cat
 Pl Vasc 385 (1847)
 I under *odoratum*
- 467 HIEROCHLOE Gmel**
odorata Wahlenberg Fl Upsal
 32 (1820)
 I II III *borealis* R & S
- 468 PHLEUM L**
phleoides Simonkai Fl Transsylv
 563 (1886)
 I III *Boehmeri* Wibel,
 II *phalaroides* Koel
arenarium L Sp Pl 60 (1753)
pratense L Sp 59 (1753)
alpinum L Sp Pl 59 (1753)
- 469 ALOPECURUS L.**
pratensis L Sp Pl 60 (1753)
alpinus Smith Engl Bot t 1126
 (1803)
geniculatus L Sp Pl 60 (1753)
aequalis Sobolewsky Fl Petrop 16
 (1799)
 I II under *geniculatus* as *fulvus*
bulbosus Gouan Hort Monspel
 37 (1762)
 I II under *geniculatus*
mysuroides Hudson Fl Anglica,
 23 (1762)
 I II *agrestis* L
- 470 SESLERIA Scop**
coerulea Arduino Annadv II 18
 (1763)
- 471 NARDUS L**
stricta L Sp Pl 53 (1753)
- 472 LEERSIA Soland**
oryzoides Swartz Prodr 21 (1788)
 III *Homalocenchrus oryzoides*
- 473 MILIUM L**
effusum L Sp Pl 61 (1753)
- 474 PHRAGMITES Adans**
communis Trin. Agrost 134 (1820).
 I *Arnudo Phragmites* L
- 475 AMMOPHILA Host.**
arenaria Link Hort Berol 1 105
 (1827).
 I *Psamma arenaria* Beauv.
 II III *arundinacea* Host
baltica Link Hort 1 c
 I under *P. arenaria*
- 476 CALAMAGROSTIS Adans**
lanceolata Roth Tent Fl Germ
 34 (1788)
epigejos Roth 1 c
neglecta Gaertner, Meyer &
 Scherbius Fl Wetter 1 94
 (1799)
 I *stricta* Nutt
 II *Deyeuxia neglecta* Kunth
strigosa Hartman Handb. Skand
 Fl 46 (1820)
 II not included
- 477 APERA Adans**
Spica-venti Beauvois Agrost 151
 (1812)
 I *Agrostis Spica venti* L.
interrupta Beauvois 1 c
 I II under *Spica venti*
- 478 AGROSTIS L**
setacea Curtis Fl Lond fasc vi
 (1796?)
canina L Sp Pl 62 (1753)
alba L Sp Pl 63 (1753)
nigra Withering Air Brit Pl ed
 3 II 131 (1796)
 I under *alba*,
 II under *vulgaris*
tenuis Sibthorp Fl Oxon 36 (1794)
 I under *alba* as *vulgaris*,
 II III *vulgaris* With
- 479 POLYPOGON Desf**
monspehiensis Desfontaines Fl
 Atlant 1 67 (1798)
littoralis Smith Engl Fl 1 86
 (1824)
- 480 GASTRIDIDIUM Beauv**
lenderum Gaudin Fl Helv 1
 176 (1828)
 III *australe* Beauv
- 481 HOLCUS L**
lanatus L Sp. Pl 1048 (1753).
mollis L Syst ed 10, 1305 (1759).

482. WEINGAERTNERA Bernh
canescens Bernhardt Syst Verz
 Erf. 1. 23, 51 (1800)
 I *Aira canescens* L.,
 II *Corynephorus canescens* Beauv

483 AIRA L
caespitosa L Sp Pl 64 (1753)
 II *Deschampsia caespitosa* Beauv
flexuosa L Sp Pl 65 (1753)
 II *D. flexuosa* Trin
setacea Hudson Fl Anglica, 30
 (1762)
 I II under *flexuosa*
caryophyllea L Sp Pl 66 (1753)
praecox L. Sp Pl 65 (1753)

484. TRISETUM Pers
flavescens Beauvois Agrost Atlas
 12 (1812)
 I *Avena flavescens* L.
 III *pratense* Pers

485 AVENA L
fatua L. Sp Pl 80 (1753)
strigosa Schreber Spic Fl Lips
 52 (1771)
 I under *fatua*
pratensis L Sp Pl 80 (1753)
pubescens Hudson Fl Anglica, 42
 (1762)
 I under *pratensis*

486. ARRHENATHERUM Beauv
elatus Mertens & Koch Deutschl
 Fl 1 546 (1823)
 I II III *avenaceum* Beauv

487 SIEGLINGIA Bernh
decumbens Bernhardt Syst Verz
 Erf 1 20, 44 (1800)
 I II *Trisetia decumbens* Beauv

488 KOELERIA Pers
cristata Persoon Syn 1 97 (1805)
vallesiana Ascherson & Graebner
 Syn. Mitteleur Fl II 1. 354
 (1900)
 I II III not included

489 MELICA L
nutans L. Sp Pl 66 (1753)
 I II *uniflora*
montana Hudson Fl Anglica, ed.
 2, 37 (1778).

490 MOLINIA Schrank.
coerulea Moench Method. 183
 (1794).
 III *varia* Schrank

491 POA L.
 1 *annua* L Sp Pl 68 (1753)
 2 *bulbosa* L Sp Pl 70 (1753)
 3 *alpina* L Sp Pl 67 (1753)
 4 *nemoralis* L Sp Pl. 69 (1753)
 5 *glauca* Vahl Fl Dan. t 964 (1790)
 I II under *nemoralis*
 6 *palustris* L Syst ed 10 874
 (1759)
 I II not included
 7 *trivialis* L Sp Pl 67 (1753)
 8 *Chaixii* Villars Fl Delph 7
 (1785)
 I not included,
 II *sylvatica* Chaix
 9 *pratensis* L Sp Pl 67 (1753)
 10 *compressa* L Sp Pl 69 (1753)

492 GLYCERIA Br
aquatica Wahlberg Fl Gothob 18
 (1820)
 I *Poa aquatica* L.
fluitans Brown Prodr 179 (1810)
 I *Poa fluitans* L
plicata Fries Nov Mant II 6
 (1839)
 I II under *fluitans*

493 SCLEROCHLOA Beauv
maritima Lindley ex Bab Man
 Brit Bot 370 (1843)
 I *Poa maritima* Huds
 II *Glyceria maritima* Wahlb
festuciformis comb nov
 I II III not included
distans Babington Man Brit Bot
 370 (1843)
 I *P. distans* L
 II *G. distans* Wahlb
Borreri Babington Man Brit. Bot
 370 (1843)
 I under *P. distans*,
 II *G. Borreri* Bab
rupestris comb nov.
 I II III *procumbens* Beauv
rigida Link Hort. Berol 1 150
 (1827).
 I *P. rigida* L.
 II *Festuca rigida* Kunth.

493 **SLEROCHELLOA**—continued.

loliacea Woods Tourist's Fl 411
(1850).

I *P. loliacea*,
II *F. loliacea*

494 **BRIZA** L.

minor L. Sp. Pl. 70 (1753)

media L. Sp. Pl. 70 (1753)

495 **CATABROSA** Beauv

aquatica Beauvois Agrost 157
(1812)

496 **CYNOSURUS** L

cristatus L. Sp. Pl. 72 (1753)

497 **DACTYLIS** L.

glomerata L. Sp. Pl. 71 (1753)

498 **FESTUCA** L

I *fasciculata* Forskål Fl. Ægypt
Arab 22 (1775)

I II III *unguis* Sol

2 *Myuros* L. Sp. Pl. 74 (1753)

3 *bromoides* L. Sp. Pl. 75 (1753)

I II under *Myuros*,
III *scurioides* Roth

4 *ambigua* Le Gall Fl. Morbihan
731 (1852)

I II under *Myuros*

5 *ovina* L. Sp. Pl. 73 (1753)

6 *rubra* L. Sp. Pl. 74 (1753)

I II under *ovina* L.

7 *oraria* Dumortier Obs. Gram
Belg 105 (1823)

I not included,
II under *rubra*

8 *sylvatica* Villars Hist. Pl. Dauph
I 271 (1786)

9 *gigantea* Villars Hist. Pl. Dauph
II. 110 (1787)

I *Bromus giganteus* L.

10 *elatio* L. Sp. Pl. 75 (1753)

III *arundinacea* Schreb

11 *pratensis* Hudson Fl. Anglica, 37
(1762).

I under *elatio*

499 **BROMUS** L.

erectus Hudson Fl. Angl. 39 (1762)

ramosus Hudson, l. c. p. 40

I II *asper* Murr

sterilis L. Sp. Pl. 77 (1753)

madritensis L. Cent. Plant. I 5
(1755).

500 **SERRAFALCUS** Parl.

arvensis Godron Fl. Lorr. III 185
(1844)

I II *Bromus arvensis* L.

secalinus Babington Man. Brit.
Bot. 374 (1843)

I under *B. arvensis* L.

II *B. secalinus* L.

racemosus Parlatoe Pl. Rar. Sic.

II 14 (1840)

I under *B. arvensis*,

II *B. racemosus* L.

commutatus Babington Man. Brit.
Bot. 374 (1843)

I II under *B. racemosus*

mollis Parlatoe Pl. Rar. Sic. II
16 (1840)

I under *B. arvensis*,

II *B. mollis* L.

501 **BRACHYPODIUM** Beauv.

sylvaticum Roemer & Schultes
Syst. II 741 (1817)

pinnatum Beauvois Agrost. Atlas
12 (1812)

502 **TRITICUM** L

caninum L. Sp. Pl. 86 (1753)

I II *Agropyrum caninum* Beauv.

repens L. Sp. Pl. 86 (1753)

I II *Agropyrum repens* Beauv

biflorum Brignoli Fasc. Pl. Foro-
jul. 18 (1810)

I not included,

II under *repens*,

III *alpinum* Don

pungens Persoon Syn. I. 109
(1805)

I II under *repens*

acutum DC. Cat. Hort. Monspel.
153 (1813)

I II under *repens*

juncum L. Cent. Pl. I 6 (1755)

I under *repens*

503 **ELYMUS** L

arenarius L. Sp. Pl. 83 (1753)

504 **HORDEUM** L

europaeum Allioni Fl. Pedemont.

II 260 (1785)

I II III *sylvaticum* Huds

nodosum L. Sp. Pl. ed. 2, 126 (1762).

I II *pratense* Huds.

504 HORDEUM—continued.

marinum L. Sp. Pl. 85 (1753).

marinum Hudson Fl. Anglica,
ed. 2. 57 (1778).

I II *maritimum* With

505 LEPTURUS Br

filiformis Trinius Fund Agrost
123 (1820)

I *incurvatus* Trin

506 LOLIUM L

perenne L. Sp. Pl. 83 (1753)

temulentum L Sp Pl 83 (1753)

XC. LYCOPODIACEÆ

507 LYCOPODIUM L

clavatum L Sp Pl. 1101 (1753)

annotinum L. Sp. Pl. 1103 (1753)

alpinum L. Sp. Pl. 1104 (1753)

inundatum L Sp. Pl. 1102 (1753).

Selago L Sp. Pl. 1102 (1753).

XCI. SELAGINELLACEÆ

508 ISOETES L

lacustris L. Sp Pl 1100 (1753)

echinospora Durieu in Bull Soc.
Bot. France, viii 164 (1861)

I II under *lacustris*

509 SELAGINELLA Spring

selaginoides Link Fil. Hort Berol
158 (1841)

III *spinulosa* A Br

XCII. MARSILEACEÆ

510 PILULARIA L.

globulifera L. Sp. Pl. 1100 (1753)

XCIII. EQUISETACEÆ

511 EQUISETUM L.

arvense L. Sp. Pl. 1061 (1753)

pratense Ehrhart in Hannov
Mag. ix. 138 (1784).

maximum Lamarck Fl. Franc 1
7 (1778).

I *telmateig* Ehrh

arvense L. Sp. Pl. 1061 (1753).

Sp. Pl. 1062 (1753)

palustre L. Sp. Pl. 1061 (1753).

hyemale L. Sp. Pl. 1062 (1753)

variegatum Schleicher ex Weber
& Mohr Bot. Taschenb 1807,
60.

trachyodon A. Braun in Flora,
xxii 305 (1839)

II under *variegatum*

XCIV OPHIOGLOSSACEÆ

512 BOTRYCHIUM Sw

Lunaria Swartz in Schrad Journ
Bot 1800, ii 110 (1801)

513 OPHIOGLOSSUM L

vulgatum L. Sp. Pl. 1062 (1753)

lusitanicum L. Sp. Pl. 1063 (1753)

I II under *vulgatum*.

XCV OSMUNDACEÆ

514 OSMUNDA L.

regalis L. Sp. Pl. 1065 (1753)

XCVI POLYPODIACEÆ

515 CRYPTOGRAMMA Br

crispa Brown ex Hook. Gen Fil t
1156 (1842) 60

I *Allosorus crispus* Bernh

516 POLYPODIUM L.

vulgare L Sp Pl 1085 (1753)

Phegopteris L Sp Pl. 1089 (1753)

Dryopteris L Sp. Pl. 1093 (1753)

Robertianum G F Hoffmann
Deutschl Fl. ii addend ad p
10 (1795)

I II under *Dryopteris*

molle Allioni Fl. Pedem ii 287
(1785).

I II III *alpestre* Hoppe.

flexile T. Moore Handb. Brit
Ferns, ed. 2, 225 (1853).

I II, under *alpestre*.

517 WOODSIA Br.

silvensis Brown in Trans. Linn.
Soc. xi. 173 (1813).

alpina S. F. Gray Nat. Arr. ii. 17
(1821).

I under *silvensis* as *hyperborea*,

II III *hyperborea* Br.

518 **LASTREA** Presl.

Thelypteris Bory in Dict Class
Hist. Nat. ix. 233 (1826).

I *Aspidium Thelypteris* Sw

I *Nephrodium Thelypteris* Desf

montana T. Moore Handb. Brit
Ferns, ed 2, 100 (1853)

I *A. Oreopteris* Sw

II *N. Oreopteris* Desv

III *L. Oreopteris* Presl

Filix-mas Presl Tent Pterid 76
(1836)

I *A. Filix-mas* Sw

II *N. Filix-mas* Rich

rigida Presl. l.c.p.

I *A. rigidum* Sw

II *N. rigidum* Desv

cristata Presl l.c.

I *A. cristatum* Sw

II *N. cristatum* Rich

spinulosa Presl l.c.p. 76

I *A. spinulosum* Sw

II *N. spinulosum* Desv.

aristata comb nov

I II under *spinulosum* as
dilatatum,

III *dilatata* Presl

remota F Moore Ind. Fil 102
(1858)

I under *A. spinulosum*,

II under *N. spinulosum*

aemula Brackenridge in U S Expl
Exped xvi. 200 (1854)

I under *A. spinulosum*,

II *N. aemulum* Baker

519 **POLYSTICHUM** Roth.

Lonchitis Roth ex Bernhardi in
Schrab Journ 1799 1 306

I II *Aspidium Lonchitis* Sw

aculeatum H. Schott Gen Fil
[not paged] (1834)

I II *A. aculeatum* Sw

angulare Presl Tent Pterid 83
(1836).

I II under *aculeatum*

520 **CVSTOPTERIS** Bernh

fragilis Bernhardi in Schrad
Neues Journ. 1. 2. 27 (1806).

montana Desvaux Prodr. 264
(1827)

521 **ATHYRIUM** Roth.

Filix-foemina Roth ex Mertens in
Roem. Archiv Bot. ii. 106
(1799)

I II *Asplenium Filix-foemina*.

522 **ASPLENIUM** L.

lanceolatum Hudson Fl Anglica,
ed 2, 454 (1778).

Adiantum-nigrum L Sp. Pl 1081
(1753)

Trichomanes L Sp. Pl 1080
(1753)

viride Hudson Fl Angl. 385 (1762).

marinum L Sp Pl 1081 (1753).

Ruta-muraria L Sp. Pl 1081
(1753)

germanicum Weiss Pl Crypt. Fl.
Gotting 299 (1770).

septentrionale G F Hoffmann
Deutschl. Fl ii 12 (1795).

523 **PHYLLITIS** Hill.

Scolopendrium Newman Hist. Brit.
Ferns, ed 2, 10 (1844).

I II *Scolopendrium vulgare* Sm

524 **CETERACH** Willd

officinarium DC in Lam & DC.
Fl Franc ii. 566 (1805)

II *Asplenium Ceterach* J

525 **BLECHNUM** L

spicant Withering Arr Brit. Pl.
ed 3 iii 765 (1796).

II *Lomaria spicant* Desv

526 **PTERIS** L.

aquilina L Sp Pl 1075 (1753).

527 **ADIANTUM** L

Capillus-Veneris L Sp Pl. 1096
(1753)

528 **TRICHOMANES** L.

radicans Swartz in Schrad Journ.
Bot 1800, ii. 97 (1801).

529 **HYMENOPHYLLUM** Sm

tunbrigense Smith Engl. Bot.
162 (1794).

peltatum Desvaux Prodr. 333
(1827).

I under *tunbrigense* as *unila-*
terale, II *unilaterale* Willd.

III *Wilsoni* Hook.

SEQUENCE OF ORDERS ACCORDING TO RECENT VIEWS OF AFFINITY, CORRELATED WITH THAT ADOPTED IN THE LIST

SPERMATOPHYTES			30 Chenopodiaceae (lxi)	73 Cucurbitaceae (xxviii)
(Seed-plants)			31 Portulacaceae (xiii)	74 Haloragaceae (xxxiii)
Gymnosperms			32 Illecebraceae (lx)	75 Araliaceae (xxxv)
I Coniferae (lxxiv)			33 Caryophyllaceae (xii)	76 Umbelliferae (xxxiv)
Angiosperms			34 Nymphaeaceae (iii)	77 Cornaceae (xxxvi)
MONOCOTYLEDONS			35 Ceratophyllaceae (lxix)	<i>Metachlamydeae</i> or
			36 Ranunculaceae (i)	<i>Sympetalae</i>
			37 Berberidaceae (ii)	78 Pyrolaceae (xlv)
			38 Papaveraceae (iv)	79 Ericaceae (xlv)
			39 Fumariaceae (v)	80 Primulaceae (xlv)
			40 Cruciferae (vi)	81 Plumbaginaceae (lviii)
			41 Rosedaceae (vii)	82 Oleaceae (xlvi)
			42 Droseraceae (xxxii)	83 Gentianaceae (xlix)
			43 Crassulaceae (xxix)	84 Apocynaceae (xlviii)
			44 Saxifragaceae (xxx)	85 Convolvulaceae (li)
			45 Ribesiaceae (xxx)	86 Polemoniaceae (li)
			46 Rosaceae (xxv)	87 Boraginaceae (lii)
			47 Leguminosae (xxiv)	88 Verbenaceae (lvii)
			48 Geraniaceae (xviii)	89 Labiatae (lvi)
			49 Oxalidaceae (xviii)	90 Solanaceae (liii)
			50 Balsaminaceae (xviii)	91 Scrophulariaceae (lv)
			51 Linaceae (xix)	92 Orobanchaceae (liv)
			52 Polygalaceae (x)	93 Lentibulariaceae (xlv)
			53 Euphorbiaceae (lxviii)	94 Plantaginaceae (lix)
			54 Callitrichaceae (lxv)	95 Rubiaceae (xxxix)
			55 Buxaceae (lxviii)	96 Caprifoliaceae (xxxviii)
			56 Empetraceae (lxvii)	97 Valerianaceae (xi)
			57 Aquifoliaceae (xxi)	98 Dipsaceae (xli)
			58 Celastraceae (xxii)	99 Campanulaceae (xliii)
			59 Aceraceae (xx)	100 Compositae (xlii)
			60 Rhamnaceae (xxviii)	
			61 Tiliaceae (xvi)	
			62 Malvaceae (xv)	
			63 Hypericaceae (xvii)	
			64 Elatinaceae (xiv)	
			65 Frankeniaceae (xi)	
			66 Tamaricaceae (xiii*)	
			67 Cistaceae (viii)	
			68 Violaceae (ix)	
			69 Thymelacaceae (lxiv)	
			70 Elaeagnaceae (lxiii)	
			71 Lythraceae (xxvi)	
			72 Onagraceae (xxvii)	
DICOTYLEDONS				
<i>Archichlamydeae</i> (<i>Apeta-</i>				
<i>lae</i> and <i>Polypetalae</i>)				
20 Salicaceae (lxiii)			101 Polypodiaceae (xcvi)	
21 Myricaceae (lxiii)			102 Osmundaceae (xcv)	
22 Betulaceae (lxiii)			103 Ophioglossaceae (xciv)	
23 Fagaceae (lxiii)			104 Marsileaceae (xcii)	
24 Ulmaceae (lxii)			105 Equisetaceae (xciii)	
25 Urticaceae (lxii)			106 Lycopodiaceae (xc)	
26 Loranthaceae (xxxvii)			107 Selaginellaceae (xc)	
27 Santalaceae (lxv)			108 Isoetaceae (xc)	
28 Aristolochiaceae (lxvi)				
29 Polygonaceae (lxii)				

INDEX OF GENERA

Names in italics indicate synonyms and introductions

- | | | | |
|--------------------------|----------------------|------------------------|-----------------------|
| Acer 8 | <i>Arundo</i> 35 | Carum 13 | <i>Cyclamen</i> 19 |
| Aceras 29 | Asarum 25 | Castalia 2 | Cynodon 34 |
| Achillea 16 | Asparagus 30 | Catabrosa 37 | Cynoglossum 20 |
| Aconitum 2 | <i>Asperugo</i> 20 | Caulalis 14 | Cynosurus 37 |
| Acorus 27 | Asperula 14 | Centaurea 17 | Cyperus 32 |
| Actaea 2 | <i>Aspidium</i> 39 | Centaurion 20 | Cypripedium 30 |
| Adiantum 39 | Asplenium 39 | <i>Centranthus</i> 15 | Cystopteris 39 |
| Adonis 1 | Aster 15 | Centunculus 19 | <i>Cytisus</i> 8 |
| Adoxa 14 | Astragalus 9 | Cephalanthera 29 | |
| Aegopodium 13 | Athyrium 39 | Cerastium 6 | Daboecia 18 |
| Aethusa 13 | Atriplex 24 | Ceratophyllum 26 | Dactylis 37 |
| Agrimonia 10 | Atropa 21 | <i>Cervicina</i> 18 | Damasonium 28 |
| <i>Agropyrum</i> 37 | Avena 36 | Ceterach 39 | Daphne 25 |
| Agrostis 35 | Azalea 18 | Chaerophyllum 14 | Daucus 14 |
| Aira 36 | | <i>Chelidonium</i> 2 | <i>Delphinium</i> 2 |
| Ajuga 23 | Ballota 23 | <i>Chelidonium</i> 2 | Dentaria 3 |
| Alchemilla 10 | Barbarea 3 | <i>Chenopodium</i> 24 | <i>Deschampsia</i> 36 |
| Alisma 28 | Barbarea 22 | Cherleria 6 | <i>Deyouzia</i> 35 |
| Althaea 3 | Bellis 15 | <i>Chlora</i> 19 | Dianthus 5 |
| Allium 31 | Berberis 2 | Chrysanthemum 16 | Digitalis 21 |
| <i>Allosorus</i> 38 | Beta 24 | Chrysosplenium 12 | Digitalis 34 |
| Alnus 27 | Betula 27 | Cicendia 20 | <i>Digraphis</i> 34 |
| Alopecurus 35 | Bidens 16 | Cichorium 17 | Diotis 16 |
| Alsine 6 | Blackstonia 19 | Cicuta 13 | Diploxys 3 |
| Althaea 7 | Blechnum 39 | Circaea 12 | Dipsacus 15 |
| <i>Alyssum</i> 3 | Blysmus 32 | Cladium 32 | Draba 3 |
| Ammophila 35 | <i>Borago</i> 20 | <i>Claytonia</i> 7 | Drosera 12 |
| <i>Anacharis</i> 28 | <i>Borella</i> 18 | Clematis 1 | Dryas 11 |
| Anagallis 19 | Botrychium 38 | Clinopodium 23 | |
| <i>Anchusa</i> 20 | Brachypodium 37 | <i>Cnicus</i> 17 | Echium 20 |
| Andromeda 18 | Brassica 3 | Cochlearia 4 | Elatine 7 |
| Anemone 1 | Briza 37 | Colchicum 31 | Eleocharis 32 |
| Angelica 13 | Bromus 37 | Comarum 10 | <i>Elisma</i> 28 |
| Antennaria 16 | Bryanthus 18 | Conium 14 | <i>Elodea</i> 28 |
| Anthemis 16 | Bryonia 12 | <i>Conopodium</i> 13 | Elymus 37 |
| Anthoxanthum 35 | Bupleurum 13 | Convallaria 30 | Empetrum 25 |
| <i>Anthriscus</i> 14 | <i>Bursa</i> 4 | Convolvulus 20 | Endymion 31 |
| Anthyllis 9 | Butomus 28 | Corallorrhiza 30 | Epilobium 11 |
| Antirrhinum 21 | Buxus 25 | Cornus 14 | Epipactis 29 |
| Anera 35 | | Coronilla 10 | Epipogon 30 |
| <i>Anemella</i> 13 | Cakile 4 | Coronopus 4 | Equisetum 38 |
| Anemum 13 | Calamagrostis 35 | Corrigiola 24 | <i>Eranthis</i> 2 |
| Anemilegia 2 | <i>Calamintha</i> 23 | Corydalis 2 | Erca 18 |
| Anabis 3 | Callitriche 26 | Corylus 27 | Erigeron 15 |
| Arbutus 18 | Calluna 18 | <i>Corynephorus</i> 36 | <i>Erimus</i> 21 |
| Arctium 17 | Caltha 2 | Cotoneaster 11 | Enocaulon 32 |
| <i>Arctostaphylos</i> 18 | Campanula 18 | <i>Cotula</i> 16 | Enophorum 32 |
| Arenaria 6 | <i>Capnoides</i> 2 | Cotyledon 12 | Erodium 8 |
| <i>Armeria</i> 24 | <i>Capriola</i> 34 | Crambe 4 | <i>Erophila</i> 3 |
| Armoracia 4 | Capsella 4 | Cratægus 11 | Eryngium 13 |
| Arnica 17 | Cardamine 3 | Crepis 18 | Erysimum 3 |
| Arrhenatherum 36 | Carduus 17 | Critillum 13 | <i>Erythraea</i> 20 |
| Artemisia 16 | Carex 33 | Crocus 30 | <i>Eufragia</i> 22 |
| Arthrolobium 10 | Carlina 17 | Cryptogramma 38 | Euonymus 8 |
| | Carnarius 27 | Cuscuta 20 | Eupatorium 15 |

Euphorbia 25	Iberis 4	Lysimachia 19	Onopordum 17
Euphrasia 22	Ilex 8	Lythrum 11	Ophioglossum 38
	Illecebrum 24		Ophrys 29
Fagus 27	Impatiens 8	Maianthemum 30	Orchis 29
Festuca 37	Infula 15	Malachium 6	Origanum 22
Filago 16	Iris 30	Malaxis 30	Ornithogalum 30
Foeniculum 13	Isatis 4	Malva 7	Ornithopus 10
Fragaria 10	Isoetes 38	Mariana 17	Orobancha 21
Frankenia 5	Jasione 18	Marrubium 23	Osmunda 38
Fraxinus 19	Juncoides 31	Matricaria 16	Oxalis 8
Fritillaria 30	Juncus 31	Matthiola 2	Oxyria 25
Fumaria 2	Juniperus 27	Meconopsis 2	Oxytropis 9
		Medicago 8	
Gagea 30	Kentanthus 15	Melampyrum 22	Paeonia 2
Galanthus 30	Knautia 15	Melica 36	Panicum 34
Galeopsis 23	Kobresia 33	Melilotus 9	Papaver 2
Galinusoga 16	Koeleria 36	Melissa 23	Parietaria 26
Galium 14		Melittis 23	Paris 30
Gastroidium 35	Lactuca 17	Mentha 22	Parnassia 12
Genista 8	Lamium 23	Menyanthes 20	Pastinaca 14
Gentiana 20	Lapsana 17	Mentzelia 18	Pedicularis 22
Geranium 7	Lasiopoda 22	Mercurialis 26	Peplos 11
Geum 11	Lastrea 39	Mertensia 20	Peranthis 29
Githago 5	Lathraea 21	Mespilus 11	Petasites 15
Gladiolus 30	Lathyrus 9	Meum 13	Petroselinum 13
Glancium 2	Lavatera 7	Mibora 34	Puccinellium 14
Glaux 19	Leersia 35	Milium 35	Phalaris 34
Glyceria 36	Legousia 18	Millegrana 8	Phleum 35
Gnaphalium 16	Lemna 27	Mimulus 22	Phragmites 35
Goodyera 29	Leontodon 17	Minuartia 6	Phyllitis 39
Gymnadenia 29	Lepidium 4	Moenchia 6	Phyllocladus 18
	Lepturus 38	Molinia 36	Physospermum 14
	Lerchia 24	Moneses 19	Phyteuma 18
Habenaria 29	Leucocjum 30	Monotropa 19	Pieris 17
Haloscias 13	Ligusticum 13	Montia 7	Pilularia 38
Hedera 14	Ligustrum 19	Mulgedium 18	Pimpinella 13
Helianthemum 4	Lilium 30	Muscari 31	Pinguicula 19
Helleborus 2	Limonanthemum 20	Myosotis 20	Pinus 27
Helminthia 17	Limonium 23	Myosoton 6	Plantago 24
Hieracium 14	Limosella 21	Myosurus 1	Pneumonia 20
Herminium 29	Linaria 21	Myrica 26	Poa 36
Herniaria 24	Linnæa 14	Myriophyllum 12	Polemonium 20
Hesperis 3	Linosyris 15	Myrrhis 14	Polycarpon 6
Hieracium 18	Linum 8		Polygala 5
Hierochloa 35	Liparis 30	Naias 28	Polygonatum 30
Hippocrepis 10	Listera 29	Narcissus 30	Polygonum 25
Hippophae 25	Lithospermum 20	Nardus 35	Polypodium 38
Hippuris 12	Littorella 24	Narthecium 31	Polypogon 35
Holcus 35	Lloydia 30	Nasturtium 3, 4	Polystichum 39
Holosteum 6	Lobelia 18	Neotinea 29	Populus 26
Homalocenchrus 35	Loiseleuria 18	Neottia 29	Potamogeton 27
Honkenya 6	Lolium 38	Nepeta 23	Potentilla 10
Hordeum 37	Lomaria 39	Nephrodium 39	Poterium 10
Hottonia 19	Lonicera 14	Nigella 2	Primula 19
Humulus 26	Lotus 9	Nymphaea 2	Prunella 23
Hutchinsia 4	Ludwigia 18	Nymphoides 20	Prunus 10
Hydrocharis 28	Lupinus 8		Psamma 35
Hydrocotyle 13	Luzula 31	Obione 24	Pteris 39
Hymenophyllum 39	Lychnis 5	Odontites 22	Puharia 31
Hynscyamus 21	Lycium 21	Oenanthe 15	Pulicaria 15
Hypericum 7	Lycopodium 38	Oenothera 11	Pulmonaria 20
Hypochaeris 17	Lycopis 20	Oenothera 10	Purula 19
Hypophyllum 19	Lycopus 22	Oenothera 10	Pyrus 11

Schoenus 32
Scilla 31
Scirpus 32
Scleranthus 7
Sclerachloa 36
Scolopendrium 39
Scrophularia 21
Scutellaria 23
Sedum 12
Selaginella 38
Selinum 14
Senecio 4
Senecio 16
Serrafalcus 37
Serratula 17
Seseli 13
Sesleria 35
Setaria 34
Sherardia 14
Sibbaldia 10
Sibthorpia 22
Sieblingia 36
Silene 5
Silybum 17
Simethis 31
Sinapis 3
Sison 13
Sisymbrium 3
Sisyrinchium 30
Sium 13
Smyrnum 14
Solanum 21
Solidago 15
Sonchus 18

Sparganium 27
Spartina 34
Specularia 18
Spergula 7
Spergularia 6
Spiraea 10
Spiranthes 29
Stachys 23
Statice 23, 24
Stellaria 6
Stratiotes 28
Suaeda 24
Subularia 4
Symphytum 20

Tamus 30
Tanacetum 16
Taraxacum 17
Taxus 27
Teesdalea 4
Teucrium 23
Thalictrum 1
Thesium 25
Thlaspi 4
Thrinia 17
Thymus 22
Filia 7
Tillaea 12
Tofieldia 31
Torilis 14
Tragopogon 17
Trichomanes 39
Tridentalis 19
Trifolium 9
Triglochin 28

Trigonella 9
Trinia 13
Triodia 36
Trisetum 36
Triticum 37
Trollius 2
Tulipa 30
Tussilago 15
Typha 27

Ulex 8
Ulmus 26
Urtica 26
Utricularia 19

Vaccinium 19
Valeriana 15
Valerianella 15
Verbascum 21
Verbena 23
Veronica 22
Viburnum 14
Vicia 9
Vinca 19
Viola 5
Viscum 14

Wahlenbergia 18
Weingaertnera 36
Wolffia 27
Woodsia 38

Zannichellia 28
Zostera 28

